

MONTHLY SECURITY REPORT: MAY 2022 VIDYALANKAR EDUCATIONAL CAMPUS

1. INCIDENTS

a) MEDICAL EMERGENCY

5 MAY 22 / VP STUDENT / LAINTENANCE / BLEEDING

b) THEFT CASES :

20th MAY 22 / VP STUDENT / PANTS - FOUND TO BE STOLEN
BLEEDING DUE TO FIGHTING INCIDENT

b) FIRE INCIDENTS

NIL

c) ROAD SAFETY VIOLATIONS

NIL

d) CAMPUS INCIDENTS/ ACCIDENTS

NIL

17 MAY 2022 / VISIT STUDENT / HIT BY CAR ON OUTSIDING

SMALL BLEEDING ON FACE

20th MAY 22 / VP & VISIT STUDENTS / FERCE

FIGHTING / NIRANJAN WOUNDED EARLY. POLICE

COMPLAINT LODGED BY HRG.

e) ANY OTHER OCCURRENCE

NIL

2. OUTSTANDING GATE PASSES

RO INTIMATED

NIL

REASON

NOT APPLICABLE

NOT APPLICABLE

3. EVENTS

a) CURRENT MONTH

VIT EXAM

b) NEXT MONTH

VP EXAM, VSIT ADMISSION

4. PEST CONTROL RECORD

VEN DOR BMC PCI	FOGGING					SPRAY				RODENT		GEL
	no	no	no	no	no	7	14	21	28	7	21	21
	Not Applicable					7	14	21	28	Not Applicable		Not Applicable
	Not Applicable					7	14	21	28	7	21	21

Fogging not undertaken by BMC.

Action: Case taken up with BMC

PCI CONTRACT FROM 01 APR 2022 TO 31 MAR 2023.

MOSQUITO & RODENT STATUS IN CAMPUS

ITEM	STATUS
Mosquitoes in Campus	{Low/Moderate/High (High is bad)}
Rodent in Campus	{Low/Moderate/High (High is bad)}

5. FIRE ACCESS

SL	ITEM	OPEN/ BLOCKED	REASON
a)	FAÇADE WINDOWS	OPEN	
b)	TERRACE DOORS	LOCKED	GLASS DOOR AVI BL TO BREAK
c)	EMERGENCY EXIT DOORS/ WINDOWS	OPEN	
d)	FIRE TENDER BEHIND ALL BUILDINGS	OPEN	

FIRE HYDRANT/ ALARM SYSTEM SERVICEABILITY

SL	BLOCK	FIRE HYDRANTS	FIRE ALARM	VENDOR	AMC UPTO	REMARKS
a)	VP	NOT AVAILABLE	S	VIJAY LAXMI	MAR 23	
b)	W	NOT AVAILABLE	S	VIJAY LAXMI	MAR 23	
c)	A TO G(VIT)	S	NOT AVAILABLE	ASHIRWAD	MAR 23	
d)	BASEMENT	NOT AVAILABLE	NOT WORKING	VIJAY LAXMI	MAR 23	Panel not working
e)	M	S	S	RELIANCE	MAR 23	

f)	X	NOT AVAILABLE	S	OUSTFIRE	MAR 23
g)	Y	NOT AVAILABLE	S	OUSTFIRE	MAR 23
h)	S	NOT AVAILABLE	S	OUSTFIRE	MAR 23

Action: PO raised for new panel by Suhas sir.

FIRE EXTINGUISHERS

SL	CYLINDERS	QTY	STATUS	EXPIRED/ OPERATED	EFF
a)	V	39		NIL	100%
b)	W	07		NIL	100%
c)	A TO G(VIT)	16		NIL	100%
d)	M	36		NIL	100%
e)	X	05		NIL	100%
f)	Y	04		NIL	100%
g)	S	02		NIL	100%
h)	MAIN GATE	01		NIL	100%
	TOTAL	110			

FIRE MARSHALS ON SHIFT DUTY

SL	NAME	SL	NAME
1.	MR. ASH SAWANT	2.	MR. SUDHAKAR...
3.	MR. SOD MISHRA	4.	MR. ...
5.	MR. GENSIDDH BANSODE	6.	MR. ...

NOTE: The vendors mentioned above are maintaining/ refilling fire extinguishers for respective building.

6. CCTV SERV CEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLT	POWER UNT	INTER NET	EFF %	ACTION
VP	171 TO 177	20	1(171)					95%	
VIT A	178 TO 187	12			2 (14, 17)			83%	
VIT D	188 TO 202	15						100%	
VIT E	203 TO 216	14						100%	
VIT G	217 TO 224	08						100%	
BASEMT 1	225 TO 232	08						100%	
BASEMT 2	233 TO 240	08	2(87, 91)					63%	
M1	241 TO 246	05						100%	
M2	247 TO 251	04						100%	
M3	252 TO 259	08						100%	
M4	260 TO 267	08						100%	
M5	268 TO 277	10						100%	
M6	278 TO 282	04						100%	
M7	283 TO 291	09	2(138, 139)					78%	
VSIT 1	292 TO 301	12			2(25, 26)			83%	FAULTY CASE DVR FAULTY
VSIT 2	302 TO 309	08						100%	
VSIT 3	310 TO 325	16	1(60)					94%	FAULTY
REAR GATE	326 TO 328	03	3(145, 146, 147)				U/S	00%	NET ISSU

S	148 TO 155,194	09							100%
Y	156 TO 164, 177,193	11							100%
MAIN GATE	1, 182, 183	03							100%
TOTAL CAMS		195	09	04	00				257

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK
 Action: PO raised by Suhas sir.

7. ELEVATORS (LIFTS) KONE STATUS

LIFT 1	LIFT 2	LIFT 3	LIFT 4	LIFT 5 (VIT)
S	S	S	S	S

AMC: KONE ELEVATORS FROM 01 APR 2022 TO 31 MAR 2023.

8. WALKIE TALKIE WORKING STATUS

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PIN	PT	RADIO U/S	RANGE PROB	RECP PROB	TRANSMIT	EFF %
SECURITY	170, 18, 171, 18	04, 05, 11	11, 28	01, 11, 28	01, 03, 04	04, 05, 11, 31		06		
DIRECTOR FM	14, 15, 19		15, 18		15	15			13	
HK	20, 23									
CANTEEN IC	21							23		
SYNERGY SYSTEM	22, 26									
TOTAL	38	03	04	03	0	05	00	02	01	31%

Action: PO raised for spares & repair.

9. SAFETY EQUIPMENT STOCK AT CAMPUS

SAFETY EQP	QTY	SAFETY EQP	QTY
SAFETY BELT	00	JACKET	00
HELMET	00		

10. MY GATE APP STATUS

DEVICE NO	LOCATION	STATUS	REMARK
MOBILE 1	MAIN GATE	S	
MOBILE 2	REAR GATE	S	
COMPUTER CONNECTIVITY	PC AT MAIN GATE	S	

11. TORCHES SERVICEABILITY

TORCH 1 : S	TORCH 2 : S
-------------	-------------

12. AUTO GATE SERVICEABILITY

STATUS	GATE 1 : S	GATE 2 : U/S	GATE 3 : U/S
FAULTS/ GATE NO	GATE 1 (MAIN GATE)	GATE 2 (BESIDE M'GATE)	GATE 3 (REAR GATE)
WHEELS	S	S	S
BATTERY	S	U/S	S
CHARGER	S	S	S
IR BEAMS	S	S	U/S
GEAR BOX	S	S	S
DISPLAY	S	U/S	U/S

Action: In pipeline

13. ELECTRICAL MAINT AT ELECTRICAL CABINS

DATES OF MAINTENANCE: 14 & 17 MAY 2022

ELECT CABIN NO	ELECT CABIN	CLEANING BY FM	CHECKING BY ELECT	FM SUP	SEC SUP	CURRENT STATUS POOR/ AVERAGE/ GOOD	REMARK
01	VP FRONT	Y	SANTOSH	ABHIJIT	R CHOUHAN	GOOD	
02	VP RLAR	Y	SANTOSH	ABHIJIT	R CHOUHAN	GOOD	
03	A LAB 31	Y	SANTOSH	ABHIJIT	P MISHRA	GOOD	
04	B LAB 2	Y	SANTOSH	ABHIJIT	R CHOUHAN	GOOD	
05	C LAB 4	Y	SANTOSH	ABHIJIT	P MISHRA	GOOD	
06	D LAB 8	Y	SANTOSH	ABHIJIT	R CHOUHAN	GOOD	
07	E LAB 9	Y	SANTOSH	ABHIJIT	R CHOUHAN	GOOD	
08	F LAB 12	Y	SANTOSH	ABHIJIT	R CHOUHAN	GOOD	
09	G LAB 15	Y	SANTOSH	ABHIJIT	R CHOUHAN	GOOD	
10	X LIB	Y	SANTOSH	ABHIJIT	P MISHRA	GOOD	
11	Y STAIRS	Y	SANTOSH	ABHIJIT	R CHOUHAN	GOOD	
12	M GRD	Y	SANTOSH	ABHIJIT	P MISHRA	GOOD	

14. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	NO OF TANKS	SCHEDULE	CLEANED ON	NEXT CLEANING DUE ON
UNDERGROUND	FIRE	02	FEB	26 FEB 2022	JUN 2022
UNDERGROUND	DRINKING	02	FEB	26 FEB 2022	JUN 2022
UNDERGROUND	WELL	01	DEC	02 DEC 2021	JUN 2022
OVERHEAD	FIRE	02	FEB	27 FEB 2022	JUN 2022
OVERHEAD	DRINKING	12	FEB	27 FEB 2022	JUN 2022
OVERHEAD	WELL	17	DEC	02 DEC 2021	JUN 2022

15. SEPTIC TANKS CLEANING

TANKS NO	LOCATION	CLEANED ON	DUE ON
TANK 1	X BLOCK (OFFICE END)	PUMPED	NOT APPLICABLE
TANK 2	X BLOCK (TOILET END)	PUMPED	NOT APPLICABLE
TANK 3	V BLOCK (VP REAR)	SYSTEM ORIENTED	NOT APPLICABLE
TANK 4	W BLOCK (REAR)	SYSTEM ORIENTED	NOT APPLICABLE

16. TRAINING TO GUARDS/ SUPERVISORS

DAY/DATE/TIME	MODULE NO/ THEME AS PER CALENDAR	MODULE NO	INSTRCTOR	ATTENDED BY		
				GRDS	SUP	OFFRS
SAT 07 May 2022 1500 h	HOSE UNWINDING & READINESS	08 F	SS GODE	05	01	01
SAT 14 May 2022 1500 h	BOMB THREAT/UNATTENDED OBJECTS	08 S	SS GODE	05	02	01
SAT 21 May 2022 1500 h	FIRE EXTINGUISHERS & ITS LOCATIONS	10 F	PM JANYL	06	01	01
SAT 28 May 2022 1500 h	CONTRACT WORKERS/ WORK PERMITS	08 S	SS GODE	06	02	01

F: FIRE MODULE S: SECURITY MODULE

17. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

NOTE: New stickers will be issued on 01 Jun 2022.

18. PARKING TICKETS ISSUED: NIL

19. KEY RECONCILIATION :

KEYS BUILDINGS	KEY BUNCHES WITH		KEYS RECONCILIATION		REMARK
	FM	VDT	JAN	JUL	
V BLOCK	03 (42)	00			
W BLOCK	01 (08)	00			
VIT	23 (90)	00			
BASEMENT	02 (20)	00			
M BLOCK	15 (137)	00			
X BLOCK	03 (44)	00			
Y BLOCK	01 (12)	00			
S BLOCK	01 (06)	00			

Note: 01 MORE SET OF KEYS TO BE MADE FOR VDT

20. FRUITS BEARING TREES

NO OF TREES NO OF FRUITS PLUCKED	FRUITS BEARING TREES		JACKFRUIT	LAST PLUCKED ON	REMARK
	NO OF TREES	NO OF FRUITS PLUCKED			
85		AUG 2021	02	APR 2021	
			08	MAY 2021	PLUCKED BY SUPPORT STAFF


FRUITS DISTRIBUTION POLICY

STUDENTS: 30%, TEACHING STAFF: 30%, NONTEACHING: 10%, SUPPORT STAFF: 10%, HK WORKERS: 10%, SECURITY: 10%

21. CONTRACT WORKERS

REGULAR		REGULAR		REGULAR	
VENDOR	NO WORKERS	VENDOR	NO WORKERS	VENDOR	NO WORKERS
HOUSEKEEPING SERVICES		SECURITY AGENCY		FOOD	
KAIZEN	(10)	SCOT	(23)	...	(01)
BVG	(10)	GARDEN		...	(00)
RARE	(09)	CANARA GARDEN	(03)	...	(11)
CANARA	(20)	ELECTRICAL VENDOR		STATIONARY	
STP	(01)	TECHNO CRAFT	(02)	...	(02)
KLEAN	(01)	TEMPORARY		PEST CONTROL	
AC MAINT.		FIRE EQPT MAINT		GARDEN MAINT	
COOLART (VIT)	(03)	RELIANCE	(03)	...	(02)
HTL (M)	(02)	ASHIRWAD	(01)	...	(02)
AIRCARE (VP)	(02)	DUST FIRE	(02)	...	(03)
COOLWELL (X)	(02)	VIJAY LAXMI	(01)	...	
FOOD		OVERNIGHT		CIVIL WORK	
SUKHSAGAR	(04)	PAINTERIOR	(11)		

NOTE: AADHAR CARDS OBTAINED IN RESPECT OF ALL WORKERS OF THOSE VENDORS WHO ARE REGULAR OR STAYING OVERNIGHT IN THE CAMPUS BUT NOT REGISTERED ON ERP SYSTEM.


 S. S. Srinivas
 Vidyalankar's Health Trust's
 VIDYALANKAR'S HEALTH TRUST'S
 Wadala (E), Mumbai - 400 032. Tel: 8122 2416 1125

MONTHLY SECURITY REPORT: APR 2022 VIDYALANKAR EDUCATIONAL CAMPUS

1. INCIDENTS

a) MEDICAL EMERGENCY	30 th APR 22/ VP STUDENT/ FITS
b) THEFT CASES :	NIL
b) FIRE INCIDENTS	NIL
c) ROAD SAFETY VIOLATIONS	NIL
d) CAMPUS INCIDENTS/ ACCIDENTS	NIL
e) ANY OTHER OCCURRENCE	NIL

2. OUTSTANDING GATE PASSES

RO INTIMATED	NOT APPLICABLE
REASON	NOT APPLICABLE

3. EVENTS

a) CURRENT MONTH	VIT BAND SHOW
b) NEXT MONTH	GRADUATION DAY VIT

4. PEST CONTROL RECORD

VEN DOR	FOGGING					SPRAY				RODENT		GEL
	no	no	no	no	no	3	10	17	24	Not Applicable		Not Applicable
BMC						3	10	17	24	Not Applicable		Not Applicable
PCI	Not Applicable					3	10	17	24	3	17	17

Fogging not undertaken by BMC.

Action:

PCI CONTRACT FROM 01 APR 2022 TO 31 MAR 2023.

5. FIRE ACCESS

SL	ITEM	OPEN/ BLOCKED	REASON
a)	FAÇADE WINDOWS	OPEN	
b)	TERRACE DOORS	OPEN	
c)	EMERGENCY EXIT DOORS/ WINDOWS	OPEN	
d)	FIRE TENDER BEHIND ALL BUILDINGS	OPEN	

FIRE HYDRANT/ ALARM SYSTEM SERVICEABILITY

SL	BLOCK	FIRE HYDRANTS	FIRE ALARM	VENDOR	AMC UPTO	REMARKS
a)	VP	NOT AVAILABLE	S	VIJAY LAXMI	23 MAR 23	
b)	W	NOT AVAILABLE	S	VIJAY LAXMI	23 MAR 23	
c)	A TO G(VIT)	S	NOT AVAILABLE	ASHIRWAD	23 MAR 23	
d)	BASEMENT	NOT AVAILABLE	NOT WORKING	VIJAY LAXMI	23 MAR 23	
e)	M	S	S	RELIANCE	23 MAR 23	
f)	X	NOT AVAILABLE	S	OUSTFIRE	23 MAR 23	
g)	Y	NOT AVAILABLE	S	OUSTFIRE	23 MAR 23	
h)	S	NOT AVAILABLE	S	OUSTFIRE	23 MAR 23	

Action: New control card quotation received from vendor by Suhas sir.

FIRE EXTINGUISHERS

SL	CYLINDERS	QTY	STATUS	EXPIRED/ OPERATED	REMARKS
a)	V	39	S	NIL	
b)	W	07	S	NIL	

c)	A TO G(VIT)	16	S	NIL
d)	M	36	S	NIL
e)	X	05	S	NIL
f)	Y	04	S	NIL
g)	S	02	S	NIL
h)	MG	01	S	NIL
TOTAL		110		

FIRE MARSHALS ON SHIFT DUTY

SL	NAME	SL	NAME
1.	SUBHASH SAWANT	2.	RAJU SUBHASH CHOUHAN
3.	PRAMOD MISHRA	4.	MAHENDRA JANARDAN MHATRE
5.	MANOJ GENSIDDH BANSODE	6.	SUNIL SONA KAMBALE

NOTE: The vendors mentioned above are maintaining/ refilling fire extinguishers for respective building.

6. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLT	POWER UNT	INTER NET	EFF %	ACTION
VP	2 TO 7, 74 TO 77, 165 TO 174	20	1(171)	S			S	95%	
VIT A	8 TO 10, 13 to 17 & 20 143,175 & 176	12		S	2 (14) (17)		S	83%	
VIT D	11, 12, 18,19, 33 TO 42 & 190	15		S			S	100%	
VIT E	21,22 & 43 TO 52,142 & 191	14		S			S	100%	
VIT G	182 TO 189	08		S			S	100%	
BASEMT 1	78 TO 85	08		S			S	100%	
BASEMT 2	86 TO 93	08	2(87, 91)	S			S	63%	
M1	94 TO 98	05		S			S	100%	
M2	99 TO 102	04		S			S	100%	
M3	103 TO 110	08		S			S	100%	
M4	111 TO 118	08		S			S	100%	
M5	119 TO 128	10		S			S	100%	
M6	129 TO 132	04		S			S	100%	
M7	133 TO 141	09	2(138, 139)	S			S	78%	AM FAULTY CAM REPAIR
VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12		S	2(75, 20)		S	83%	AM FAULTY CAM REPAIR
VSIT 2	28 TO 30,69 TO 73	08		S			S	100%	
VSIT 3	53 TO 68	16	1(60)	S			S	94%	AM FAULTY CAM REPAIR
REAR GATE	145 TO 147	03	3(145,146,147)	S			S	00%	AM FAULTY CAM REPAIR
S	148 TO 155,194	09		S			S	100%	
Y	156 TO 164, 177,195	11		S			S	100%	
MAIN GATE	1, 192 & 193	03		S			S	100%	
TOTAL CAMS		195	09	-	04	00	-	93%	

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK

Action: Quotation taken from Arnav & given to Suhas sir.

7. ELEVATORS (LIFTS) KONE STATUS

LIFT 1	LIFT 2	LIFT 3	LIFT 4	LIFT 5 (VIT)
S	S	S	S	S

AMC: KONE ELEVATORS FROM 01 APR 2022 TO 31 MAR 2023.

8. WALKIE TALKIE WORKING STATUS

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PIN	PT T	RADIO U/S	RANGE PROB	RECP PROB	TRANSMIT	EFF %
SECURITY	1 TO 13	4,5,6, 10,11	4,5,6,11, 28,31,34,	01, 11, 28	01, 11, 02, 04	04,05,11,3 1		00		
	27 TO 38	,2831 ,34,3 5								
DIRECTOR FM	14									
	15 TO 19	15,18	15,18							
HK	20 TO 23									
CANTEEN IC	24									
SYNERGY SYSTEM	25 26	25	25					75		
TOTAL	38	12	11	03	0	05	00	02	01	60%

Action: PO raised.

9. SAFETY EQUIPMENT STOCK AT CAMPUS

SAFETY EQP	QTY	SAFETY EQP	QTY
SAFETY BELT	00	JACKET	00
HELMET	00		

10. MY GATE APP STATUS

DEVICE NO	LOCATION	STATUS	REMARK
MOBILE 1	MAIN GATE	S	
MOBILE 2	REAR GATE	S	
COMPUTER CONNECTIVITY	PC AT MAIN GATE	S	

11. TORCHES SERVICEABILITY

TORCH 1 : S TORCH 2 : S

12. AUTO GATE SERVICEABILITY

STATUS	GATE 1 : S	GATE 2 : U/S	GATE 3 : U/S
FAULTS/ GATE NO	GATE 1 (MAIN GATE)	GATE 2 (BESIDE M'GATE)	GATE 3 (REAR GATE)
WHEELS	S	S	S
BATTERY	S	U/S	S
CHARGER	S	S	S
IR BEAMS	S	S	S
GEAR BOX	S	S	S
DISPLAY	S	U/S	S

Action:

13. ELECTRICAL MAINT AT ELECTRICAL CABINS

DATES OF MAINTENANCE: 09 & 23 APR 2022

ELECT CABIN NO	ELECT CABIN	CLEANING BY FM	CHECKING BY ELECT	FM SUP	SEC SUP
01	VP FRONT	Y	SANTOSH	ABHIJIT	R CHOUHAN
02	VP REAR	Y	SANTOSH	ABHIJIT	R CHOUHAN
03	A LAB 1	Y	SANTOSH	ABHIJIT	P MISHRA
04	B LAB 2	Y	SANTOSH	ABHIJIT	R CHOUHAN
05	C LAB 4	Y	SANTOSH	ABHIJIT	P MISHRA
06	D LAB 8	Y	SANTOSH	ABHIJIT	R CHOUHAN
07	E LAB 9	Y	SANTOSH	ABHIJIT	R CHOUHAN
08	F LAB 12	Y	SANTOSH	ABHIJIT	R CHOUHAN
09	G LAB 15	Y	SANTOSH	ABHIJIT	R CHOUHAN

10	X LIB	Y	SANTOSH	ABHIJIT	P MISHRA
11	Y STAIRS	Y	SANTOSH	ABHIJIT	R CHOUHAN
12	M GRD	Y	SANTOSH	ABHIJIT	P MISHRA

14. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	NO OF TANKS	SCHEDULE	CLEANED ON	NEXT CLEANING DUE ON
UNDERGROUND	FIRE	02	FEB	26 FEB 2022	JUN 2022
UNDERGROUND	DRINKING	02	FEB	26 FEB 2022	JUN 2022
UNDERGROUND	WELL	01	DEC	02 DEC 2021	JUN 2022
OVERHEAD	FIRE	02	FEB	27 FEB 2022	JUN 2022
OVERHEAD	DRINKING	12	FEB	27 FEB 2022	JUN 2022
OVERHEAD	WELL	17	DEC	02 DEC 2021	JUN 2022

ANNUAL SCHEDULE DRINKING/ FIRE: FEB, JUN & OCT (3 Times) WELL: JUN & DEC (2 Times)

15. SEPTIC TANKS CLEANING

TANKS NO	LOCATION	CLEANED ON	DUE ON
TANK 1	X BLOCK (OFFICE END)	PUMPED	NOT APPLICABLE
TANK 2	X BLOCK (TOILET END)	PUMPED	NOT APPLICABLE
TANK 3	V BLOCK (VP REAR)	SYSTEM ORIENTED	NOT APPLICABLE
TANK 4	W BLOCK (REAR)	SYSTEM ORIENTED	NOT APPLICABLE

16. TRAINING TO GUARDS/ SUPERVISORS

DAY/DATE/TIME	MODULE NO/ THEME AS PER CALENDAR	MODULE NO	INSTRUCTOR	ATTENDED BY		
				GRDS	SUP	OFFRS
SAT 02 Apr 2022/1500 h	FIRE ALARM SYSTEM (FAS)	04 F	SS GODE	05	01	01
SAT 09 Apr 2022/1500 h	BOMB THREAT	04 S	SS GODE	05	02	01
SAT 16 Apr 2022/1500 h	FIRE & MEDICAL EMERGENCY	08 F	PM JANYE	06	01	01
SAT 23 Apr 2022/1500 h	TERROR ATTACK	10 S	SS GODE	06	02	01

F: FIRE MODULE S: SECURITY MODULE

17. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

NOTE: New stickers will be issued on 01 Jun 2022.

18. PARKING TICKETS ISSUED: NIL

19. KEY RECONCILIATION :

KEYS BUILDINGS	SECURITY (KEYS)	KEY BUNCHES WITH FM	VDT	KEYS RECONCILIATION		REMARK
				JAN	JUL	
V BLOCK	03 (42)	03 (42)				
W BLOCK	01 (08)	01 (08)				
VIT	23 (90)	23 (90)				
BASEMENT	02 (20)	02 (20)				
M BLOCK	15 (137)	15 (137)				
X BLOCK	03 (44)	03 (44)				
Y BLOCK	01 (12)	01 (12)				
S BLOCK	01 (06)	01 (06)				

20. FRUITS BEARING TREES


	COCONUT	LAST PLUCKED ON	MANGO	LAST PLUCKED ON	JACKFRUIT	LAST PLUCKED ON	REMARK
NO OF TREES	35	AUG 2021	09	APR 2022	02	APR 2022	
NO OF FRUITS PLUCKED	50	SAMEER SENT	30	01 BAG SENT CHODHARY DRIVER	08	PLUCKED BY SUPPORT STAFF	

21. CONTRACT WORKERS

VENDOR	NO WORKERS	VENDOR	NO WORKERS	VENDOR	NO WORKERS
HOUSEKEEPING SERVICES		SECURITY AGENCY		FOOD	
KAIZEN	(10)	SCOT	(23)	CCD	(01)
BVG	(10)	GARDEN		DOMINOS PIZZA	(00)
RARE	(09)	CANARA GARDEN	(03)	SUKH SAGAR	(10)

CANARA	(20)	ELECTRICAL VENDOR			
	STP	TECHNO CRAFT	(02)		STATIONARY
KLEAN	(01)			BHAVE	(02)
AC MAINT		TEMPORARY			
		FIRE EQPT MAINT			PEST CONTROL
COOLART (VIT)	(03)	RELIANCE	(03)	PCI	(02)
HTL (M)	(02)	ASHIRWAD	(01)	BMC	(02)
AIRCARE (VP)	(02)	OUST FIRE	(02)		GARDEN MAINT
COOLWELL (X)	(02)	VIJAY LAXMI	(01)	POPAYA	(03)
FOOD		OVERNIGHT			
		CIVIL WORK			
SUKHSAGAR	(04)	PAINTERIOR	(11)		

NOTE: AADHAR CARDS OBTAINED IN RESPECT OF ALL WORKERS OF THOSE VENDORS WHO ARE REGULAR OR STAYING OVERNIGHT IN THE CAMPUS BUT NOT REGISTERED ON ERP SYSTEM.


 Security Officer
 Vidyalankar Education Trust's
VIDYALANKAR EDUCATIONAL CAMPUS
 Wadala (E), Mumbai-400 037, Tel.: 9122 2416 1128

MONTHLY SECURITY REPORT: APR 2022 VIDYALANKAR EDUCATIONAL CAMPUS

1. INCIDENTS

a) MEDICAL EMERGENCY	30 th APR 22/ VP STUDENT/ FITS
b) THEFT CASES :	NIL
b) FIRE INCIDENTS	NIL
c) ROAD SAFETY VIOLATIONS	NIL
d) CAMPUS INCIDENTS/ ACCIDENTS	NIL
e) ANY OTHER OCCURRENCE	NIL

2. OUTSTANDING GATE PASSES

RO INTIMATED	NOT APPLICABLE
REASON	NOT APPLICABLE

3. EVENTS

a) CURRENT MONTH	VIT BAND SHOW
b) NEXT MONTH	GRADUATION DAY VIT

4. PEST CONTROL RECORD

VEN DOR	FOGGING					SPRAY				RODENT		GEL
BMC	no	no	no	no	no	3	10	17	24	Not Applicable		Not Applicable
PCI	Not Applicable					3	10	17	24	3	17	17

Fogging not undertaken by BMC.

Action:

PCI CONTRACT FROM 01 APR 2022 TO 31 MAR 2023.

5. FIRE ACCESS

SL	ITEM	OPEN/ BLOCKED	REASON
a)	FAÇADE WINDOWS	OPEN	
b)	TERRACE DOORS	OPEN	
c)	EMLRGENCY EXIT DOORS/ WINDOWS	OPEN	
d)	FIRE TENDER BEHIND ALL BUILDINGS	OPEN	

FIRE HYDRANT/ ALARM SYSTEM SERVICEABILITY

SL	BLOCK	FIRE HYDRANTS	FIRE ALARM	VENDOR	AMC UPTO	REMARKS
a)	VP	NOT AVAILABLE	S	VIJAY LAXMI	23 MAR 23	
b)	W	NOT AVAILABLE	S	VIJAY LAXMI	23 MAR 23	
c)	A TO G(VIT)	S	NOT AVAILABLE	ASHIRWAD	23 MAR 23	
d)	BASEMENT	NOT AVAILABLE	NOT WORKING	VIJAY LAXMI	23 MAR 23	
e)	M	S	S	RELIANCE	23 MAR 23	
f)	X	NOT AVAILABLE	S	OUSTFIRE	23 MAR 23	
g)	Y	NOT AVAILABLE	S	OUSTFIRE	23 MAR 23	
h)	S	NOT AVAILABLE	S	OUSTFIRE	23 MAR 23	

Action: New control card quotation received from vendor by Suhas sir.

FIRE EXTINGUISHERS

SL	CYLINDERS	QTY	STATUS	EXPIRED/ OPERATED	REMARKS
a)	V	39	S	NIL	
b)	W	07	S	NIL	

a)	V	39	S	NIL
b)	W	07	S	NIL
c)	A TO G (VIT)	16	S	NIL
d)	M	36	S	NIL
e)	X	05	S	NIL
f)	Y	04	S	NIL
g)	S	02	S	NIL
h)	MFG	01	S	NIL
TOTAL		110		

FIRE MARSHALS ON SHIFT DUTY

SL	NAME	SL	NAME
1.	SUBHASH SAWANT	2.	RAJU SUBHASH CHOUHAN
3.	PRAMOD MISHRA	4.	MAHENDRA JAGARDAN MIHATRI
5.	MANOJ GENSIDDH BANSODI	6.	SUNIL SONA KAMBALI

NOTE: The vendors mentioned above are maintaining/ refilling fire extinguishers for respective building.

6. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLT	POWER UNT	INTLR NET	EFF %	ACTION
VP	2 TO 7, 74 TO 17, 165 TO 174	20	0	S			S	95%	
VIT A	8 TO 10, 13 to 17 & 20	12	0	S			S	83%	
VIT D	143,175 & 176, 11, 12, 18, 19, 13	15	0	S			S	100%	
VIT L	21,22 & 43 TO 52,142 & 191	14	0	S			S	100%	
VIT G	182 TO 189	08	0	S			S	100%	
BAS+MT 1	78 TO 85	08	0	S			S	100%	
BAS+MT 2	86 TO 93	08	0	S			S	63%	
M1	94 TO 98	05	0	S			S	100%	
M2	99 TO 102	04	0	S			S	100%	
M3	103 TO 110	08	0	S			S	100%	
M4	111 TO 118	08	0	S			S	100%	
M5	119 TO 128	10	0	S			S	100%	
M6	129 TO 132	04	0	S			S	100%	
M7	133 TO 141	09	0	S			S	73%	
VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12	0	S			S	83%	
VSIT 2	28 TO 30,69 TO 73	08	0	S			S	100%	
VSIT 3	53 TO 68	16	0	S			S	94%	
REAR GATE	145 TO 147	03	0	S			S	00%	
S	148 TO 155,194	09	0	S			S	100%	
Y	156 TO 164, 177,195	11	0	S			S	100%	
MAIN GATE	1, 192 & 193	03	0	S			S	100%	
TOTAL CAMS		195	09	-	04	00	-	93%	

S: SERVICABLE, U/S: UNSERVICABLE, P/S: PARTLY SERVICABLE, HD: HARD DISK
 Action: Quotation taken from Arnav & given to Suhas sir.

7. ELEVATORS/LIFTS KONE STATUS

LIFT 1	LIFT 2	LIFT 3	LIFT 4	LIFT 5 (VIT)
S	S	S	S	S

AMC: KONE ELEVATORS FROM 01 APR 2022 TO 31 MAR 2023.

8. WALKIE TALKIE WORKING STATUS

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PIN	PT	RADIO U/S	RANGE PROB	RECP PROB	TRANSMIT	EFF %
SECURITY	1 TO 13 27 TO 38	0	0	03	0	05	00	00	01	60%
DIRECTOR FM	14 TO 19	0	0	03	0	05	00	00	01	60%
HK	20 TO 23	0	0	03	0	05	00	00	01	60%
CANTEEN IC	24	0	0	03	0	05	00	00	01	60%
SYNERGY SYSTEM	25 TO 26	0	0	03	0	05	00	00	01	60%
TOTAL	38	12	11	03	0	05	00	00	01	60%

Action: PO raised.

9. SAFETY EQUIPMENT STOCK AT CAMPUS

SAFETY EQP	QTY	SAFETY EQP	QTY
SAFETY BELT	00	JACKET	00
HELMET	00		

10. MY GATE APP STATUS

DEVICE NO	LOCATION	STATUS	REMARK
MOBILE 1	MAIN GATE	S	
MOBILE 2	REAR GATE	S	
COMPUTER CONNECTIVITY	PC AT MAIN GATE	S	

11. TORCHES SERVICEABILITY

TORCH 1: S	TORCH 2: S
------------	------------

12. AUTO GATE SERVICEABILITY

STATUS	GATE 1: S	GATE 2: U/S	GATE 3: S
FAULTS/ GATE NO	GATE 1 (MAIN GATE)	GATE 2 (BE SIDE M GATE)	GATE 3 (REAR GATE)
WHEELS	S	S	S
BATTERY	S	S	S
CHARGER	S	S	S
IR BLAMS	S	S	S
GEAR BOX	S	S	S
DISPLAY	S	S	S

Action:

13. ELECTRICAL MAINT / ELECTRICAL CABINS

DATE'S OF MAINTNANCE: 09 & 23 APR 2022

ELECT CABIN NO	ELECT CABIN	CLEANING BY FM	CHECKING BY ELECT	FM SUP	SEC SUP
01	VP FRONT	Y	SANTOSH	ABHET	R CHOJHAN

02	VP REAR	Y	SANTOSH	ABHIJIT	R CHOJHAN
03	A LAB 1	Y	SANTOSH	ABHIJIT	P MISHRA
04	B LAB 2	Y	SANTOSH	ABHIJIT	R CHOJHAN
05	C LAB 4	Y	SANTOSH	ABHIJIT	P MISHRA
06	D LAB 8	Y	SANTOSH	ABHIJIT	R CHOJHAN
07	F LAB 9	Y	SANTOSH	ABHIJIT	R CHOJHAN
08	F LAB 2	Y	SANTOSH	ABHIJIT	R CHOJHAN
09	G LAB 5	Y	SANTOSH	ABHIJIT	R CHOJHAN
10	X LIB	Y	SANTOSH	ABHIJIT	P MISHRA
11	Y STAIRS	Y	SANTOSH	ABHIJIT	R CHOJHAN
12	M GRID	Y	SANTOSH	ABHIJIT	P MISHRA

14. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	NO OF TANKS	SCHEDULE	CLEANED ON	NEXT CLEANING DUE ON
UNDERGROUND	FIRE	02	FEB	26 FEB 2022	JUN 2022
UNDERGROUND	DRINKING	01	FEB	26 FEB 2022	JUN 2022
UNDERGROUND	WELL	01	DEC	02 DEC 2021	JUN 2022
OVERHEAD	FIRE	02	FEB	27 FEB 2022	JUN 2022
OVERHEAD	DRINKING	12	FEB	27 FEB 2022	JUN 2022
OVERHEAD	WELL	17	DEC	02 DEC 2021	JUN 2022

ANNUAL SCHEDULE DRINKING/ FIRE: FEB, JUN & OCT (3 Times) WELL: JUN & DEC (2 Times)

15. SEPTIC TANKS CLEANING

TANKS NO	LOCATION	CLEANED ON	DUE ON
TANK 1	X BLOCK (OFFICE END)	PUMPED	NOT APPLICABLE
TANK 2	X BLOCK (TOILET END)	PUMPED	NOT APPLICABLE
TANK 3	V BLOCK (VP REAR)	SYSTEM ORIENTED	NOT APPLICABLE
TANK 4	W BLOCK (REAR)	SYSTEM ORIENTED	NOT APPLICABLE

16. TRAINING TO QUALIFY SUPERVISORS

DAY/DATE/TIME	MODULE NO/ THEME AS PER CALENDAR	MODULE NO	INSTRUCTOR	ATTENDED BY		
				GRDS	SUP	OFFRS
SAT 02 Apr 2022/1500 h	FIRE ALARM SYSTEM (FAS)	04 F	SS GODI	01	01	01
SAT 09 Apr 2022/1500 h	BOMB THREAT	04 S	SS GODI	01	02	01
SAT 16 Apr 2022/1500 h	FIRE & MEDICAL EMERGENCY	08 F	PM JANYI	01	01	01
SAT 23 Apr 2022/1500 h	TERROR ATTACK	10 S	SS GODI	01	02	01

F: FIRE MODULE S: SECURITY MODULE

17. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

NOTE: New stickers will be issued on 01 Jun 2022.

18. PARKING TICKETS ISSUED: NIL

19. KEY RECONCILIATION

KEYS BUILDINGS	SECURITY (KEYS)	KEY BUNCHES WITH		KEYS RECONCILIATION		REMARK
		FM	VDT	JAN	JUL	
V BLOCK	03 (42)	03 (42)				
W BLOCK	01 (08)	01 (08)				
VIT	23 (90)	23 (90)				
BASIMENT	02 (20)	02 (20)				
M BLOCK	15 (137)	15 (137)				
X BLOCK	03 (44)	03 (44)				
Y BLOCK	01 (12)	01 (12)				
S BLOCK	01 (06)	01 (06)				

20. FRUITS BEARING TREES


COCONUT	LAST PLUCKED ON	MANGO	LAST PLUCKED ON	JACKFRUIT	LAST PLUCKED ON	REMARK

NO OF TREES	35	AUG 2021	09	APR 2022	02	APR 2022
NO OF FRUITS PLUCKED	50	SAMEER SENT	30	01 BAG SENT CHODHARY DRIVER	08	PLUCKED BY SUPPORT STAFF

21. CONTRACT WORKERS

VENDOR	NO WORKERS	VENDOR	REGULAR NO WORKERS	VENDOR	NO WORKERS
HOUSEKEEPING SERVICES		SECURITY AGENCY		FOOD	
KAIZI N	(10)	SCOT	(23)	CCD	(01)
BVG	(10)	GARDEN		DOMINOS PIZZA	(00)
RARI	(09)	CANARA GARDEN	(03)	SUKH SAGAR	(10)
CANARA	(20)	ELECTRICAL VENDOR			
		TECHNO CRAFT	(02)		
KLEAN	(01)			BHAVI	STATIONARY (02)
AC MAINT		TEMPORARY		PEST CONTROL	
CCOLART (VIT)	(03)	FIRE EQPT MAINT		PCI	(02)
HTL (M)	(02)	RI LIANJI	(03)	BMC	(02)
AIRCARE (VP)	(02)	ASHIRWAD	(01)		
COOLWELL (X)	(02)	OUST FIRE	(02)	POPAYA	GARDEN MAINT (03)
		VIJAY LAXMI	(01)		
FOOD		OVERNIGHT		CIVIL WORK	
SUKHSAGAR	(04)	PAINTEWORK			(11)

NOTE: AADHAR CARDS OBTAINED IN RESPECT OF ALL WORKERS OF THOSE VENDORS WHO ARE REGULAR OR STAYING OVERNIGHT IN THE CAMPUS BUT NOT REGISTERED ON ERP SYSTEM.



Security Officer
 Vidyalankar Education Trust's
VIDYALANKAR EDUCATIONAL CAMPUS
 Wadala (E), Mumbai - 400 032. Phone: 2410 1126

MONTHLY SECURITY REPORT: MAR 2022 VIDYALANKAR EDUCATIONAL CAMPUS

1. INCIDENTS

- a) MEDICAL EMERGENCY: **NIL**
- b) THEFT CASES: **NIL**
- c) FIRE INCIDENTS: **NIL**
- d) ROAD SAFETY VIOLATIONS: **NIL**
- e) CAMPUS INCIDENTS/ ACCIDENTS: **NIL**
- f) WATER TANKERS ORDERED: **NIL**

2. OUTSTANDING GATE PASSES : **NIL**

RO INTIMATED : **N/A** REASON:

3. EVENTS

- a) PREVIOUS MONTH: REOPENING OF COLLEGES
- b) CURRENT MONTH: NBA & NACC VISITS

4. PEST CONTROL RECORD

BMC	FOGGING				SPRAY				RODENT		GEL	
	-	-	-	-	5	12	19	26	N/A		N/A	
					5	12	19	26	5	19		19

PCI CONTRACT UPTO 31 MAR 2023

5. FIRE ACCESS

Sl	ITEM	OPEN/ CLOSED
a)	FAÇADE WINDOWS	OPEN
b)	TERRACE DOORS	OPEN
c)	EMERGENCY EXIT DOORS/ WINDOWS	OPEN
d)	FIRE TENDER BEHIND ALL BUILDINGS	OPEN

FIRE HYDRANT SYSTEM SERVICEABILITY

Sl	FLOOR	FIRE HYDRANTS	FIRE ALARM
a)	V	S	S
b)	W	S	S
c)	A TO G(VIT)	S	
d)	BASEMENT		S, S
e)	M	S	S
f)	X	S	S
g)	Y	S	S
h)	S	S	S

AMC M BLOCK: RELIANCE FIRE (HYDRANT & ALARM) UPTO 31 MAR 2023

AMC VIT : ASHIRWAD (HYDRANT) VIJAYLAXMI UPTO 31 MAR 2023

AMC V & W BLOCK: VIJAYLAXMI (ALARM) UPTO 31 MAR 2023

AMC X, Y & S: OUSTFIRE (ALARM) UPTO 31 MAR 20123

FIRE EXTINGUISHERS

Sl	CYLINDERS	STATUS	REPLACED/ REPARATED
a)	V	S	NIL
b)	W	S	NIL
c)	A TO G(VIT)	S	NIL
d)	M	S	NIL

e)	X	S	NIL
f)	Y	S	NIL
g)	S	S	NIL

6. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DV R	CABL FLTY	POWER UNT	INTER NET	EFF %	REMARKS
VP	2 TO 7, 74 TO 77, 165 TO 174	20	1(171)	S				95%	CAMERA FAULTY
VIT A	8 TO 10, 13 to 17 & 20 143,175 & 176	12		S	2 (14, 17)			83%	
VIT D	11, 12, 18,19, 33 TO 42 & 190	15		S				100%	
VIT E	21,22 & 43 TO 52,142 & 191	14		S				100%	
VIT G	182 TO 189	08		S				100%	
BASEMT 1	78 TO 85	08		S				100%	
BASEMT 2	86 TO 93	08	3(87, 91)	S				63%	
M1	94 TO 98	05		S				100%	
M2	99 TO 102	04		S				100%	
M3	103 TO 110	08						100%	
M4	111 TO 118	08		S				100%	
M5	119 TO 128	10						100%	
M6	129 TO 132	04						100%	
M7	133 TO 141	09	2, 128, 139					78%	CAM FAULTY
VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12		S	2(25, 26)			83%	
VSIT 2	28 TO 30,69 TO 73	08		S				100%	
VSIT 3	53 TO 68	16	1(60)	S				94%	CAMERA FAULTY
REAR	145 TO 147	03		S				100%	NET ISSUE
S	148 TO 155,194	09		S				100%	
Y	156 TO 164, 177,195	11		S				100%	
MAIN GATE	1, 192 & 193	03		S				100%	
TOTAL CAMS		195	07	-	04	00		94%	

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK PO-RAISED. NO CHANGE IN STATUS

7. ELEVATORS (LIFTS) STATUS

LIFT 1	LIFT 2	LIFT 3	LIFT 4	LIFT 5 (VIT)
S	S	S	S	S

8. WALKIE TALKIE WORKING STATUS

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PIN	PTT	RADIO U/S	RANGE PROB	RECP PRO	TRANS MIT	EFF %
SECURITY	1 TO 13 27 TO	4,5,6,10,1 1,2,8,31,34	4,5,6,11, 28,31,34,	01, 11,	01, 03,	04,05, 11,31		B 06		

DIRECTOR	38	35	35	28	04						
FM	14										
HK	15 TO 19	15,18	15,18		15	15				18	
CANTEEN IC	20 TO 23										
SYNERGY SYSTEM	24										
	25	25	25						25		
	26										
TOTAL	38	12	11	03	04	05	00	02	01	60%	

No repair initiated.

9. TORCHES SERVICEABILITY

TORCH 1 : S | TORCH 2 : S | EMERGENCY LIGHT :

10. AUTO GATE SERVICEABILITY

GATE 1 : S | GATE 2 : US | GATE 3 : US

Engineer had payment issue which has been resolved.

11. ELECTRICAL MAINT AT ELECTRICAL CABINS

DATE	CLEANING BY FM	CHECKING BY ELECT	FM SUP	PM SUP
08 MAR 2022	DASHRATH	SANTOSH	ABHIJIT	PM MISHRA
23 MAR 2022	GANESH	SANTOSH	ABHIJIT	R CHOUHAN

12. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	STARTED ON	COMPLETED ON
UNDERGROUND	FIRE	01 FEB 2022	26 FEB 2022	01 JUN 2022
UNDERGROUND	DRINKING	01 FEB 2022	26 FEB 2022	01 JUN 2022
UNDERGROUND	WELL	01 FEB 2022	26 FEB 2022	01 JUN 2022
OVERHEAD	FIRE	01 FEB 2022	27 FEB 2022	01 JUN 2022
OVERHEAD	DRINKING	01 FEB 2022	27 FEB 2022	01 JUN 2022
OVERHEAD	WELL	01 DEC 2021	02 DEC 2021	01 JUN 2022

13. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019 | NEXT CLEANING DUE ON: 12TH MAR 2020
 SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

14. TRAINING TO GUARDS/ SUPERVISORS

DAY/DATE/TIME	MODULE NO/ THEME AS PER CALENDAR	INSTRUCTOR	ATTENDED BY		
			GRDS	SUP	OFFRS
SAT 05 Mar 2022/1500 h	03/FIRE EXTINGUISHERS	SS GODE	05	01	01
SAT 12 Mar 2022/1500 h	03/MATERIAL MOVMENT	SS GODE	05	02	01
SAT 19 Mar 2022/1500 h	07/ALL LAYOUTS	PM JANYE	06	01	01
SAT 26 Mar 2022/1500 h	09/CROWD CONTROL	SS GODE	06	02	01

15. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

16. CONTRACT WORKERS

REGULAR					
KAIZEN	H'KEEPING	(10)	SCOT	SECURITY	(23)
BVG	H'KEEPING	(10)	SUKH SAGAR	CANTEEN	(10)
RARE	H'KEEPING	(09)	CCD	CAFF	(01)
CANARA	H'KEEPING	(20)	DOMINOS	PIZZA	(00)
BHAVE	STATONERY	(02)	CANARA GARDEN	GARDENER	(03)
STP	PLANT	(01)	SYNERGY	ELECT	(02)
TEMPORARY					
COOLART	AC (VIT)	(03)	SUNIL	CARPENTER	(00)
HTL	AC (M)	(02)			
AIRCARE	AC (VP)	(02)			
COOLWELL	AC (X)	(02)			

OVERNIGHT

CANTEEN (04)
PAINTE
RIOR



Security Officer
Vinayakar Educational Trust's
VIDYALAKSHMI REGIONAL CAMPUS
Wadala (E), Mumbai - 400 032. Tel.: 9122 2416 1126

MONTHLY SECURITY REPORT: FEB 2022
VIDYALANKAR EDUCATIONAL CAMPUS

1. CAMPUS INCIDENTS/ ACCIDENTS: NIL
2. FIRE INCIDENTS: NIL
3. MEDICAL EMERGENCY: NIL
4. THEFT CASES: NIL
5. ROAD SAFETY VIOLATIONS: NIL
6. RETURNABLE GATE PASSES OUTSTANDING: NIL
7. PEST CONTROL DATES:

PCI	FOGGING				SPRAY				RODENT				GEL				CONTRACT
	N/A				5	12	19	26	5	-	19	-	-	-	-	-	NOV 2022
BMC	-	-	-	-	5	12	19	26	N/A				N/A				N/A

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED ON	NEXT CLEANING DUE ON
UNDERGROUND	FIRE	01 OCT 2020	04 NOV 2021	01 FEB 2022
UNDERGROUND	DRINKING	01 OCT 2020	04 NOV 2021	01 FEB 2022
UNDERGROUND	WELL	01 DEC 2020	04 DEC 2021	01 JUN 2022
OVERHEAD	FIRE	01 OCT 2020	05 NOV 2021	01 FEB 2022
OVERHEAD	DRINKING	01 OCT 2020	05 NOV 2021	01 FEB 2022
OVERHEAD	WELL	01 DEC 2020	05 DEC 2021	01 JUN 2022

WATER TANKERS ORDERED IN THE MONTH: NIL

REASON: N/A

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019.

NEXT CLEANING DUE ON: 1ST JUNE 2019.

SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP

CLEAR

11. ACCESS TO FIRE TENDER BEHIND VISIT, Y & S

CLEAR

12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN

YES

13. EMERGENCY WINDOWS & DOOR OPERATIONAL

YES

14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICEABILITY

MAIN PUMP : S

M BLOCK

JOCKEY PUMP: S

SPRINKLER PUMP : S

BOOSTER PUMP : S

DIESEL PUMP: S

HYDRANT ELECT PANEL : S

HYDRANTS & HOSE CABINS NO. 6 TO 10: S

HYDRANT SYSTEM MAINTENANCE DONE ON: 9 & 25 FEB 2022

AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.

MAIN PUMP : S

VIT, VP & VISIT

HYDRANT ELECT PANEL: S

JOCKEY PUMP : S

HYDRANT SYSTEM MAINT DONE ON 28 FEB

HYDRANTS & HOSE CABINS NO. 1 TO 05: S

AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 23.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTORS SERVICEABILITY

FIRE ALARM PANEL : U/S

VIT BASEMENT

Panel Card became unserviceable.

SMOKE DETECTORS: ALL

FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2021

FIRE ALARM PANEL : S

M BLOCK

FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S

SMOKE DETECTORS: ALL S

ALARM AMC: DELUXE 1st Feb 21 To 31st Jan 22

VISIT & S BLOCK

FIRE ALARM PANEL : S

FIRE HOOTERS ON EACH FLR GD +1: ALL S

SMOKE DETECTORS: ALL S

ALARM AMC: OUST FIRE UPTO 31 MAR 2022

FIRE ALARM PANEL : S

FIRE HOOTERS ON EACH FLR 1 TO 7: S

SMOKE DETECTORS: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 MAR 2022

LOOP CARD REPAIRED

16. FIRE EXTINGUISHERS

FIRE EXTINGUISHERS SERVICEABLE

FIRE EXTINGUISHERS EXPIRED

FIRE EXTINGUISHERS PRESSURE DROPPED

FIRE EXTINGUISHERS USED & EMPTY

ALL

NIL

NIL

NIL

17. ELECTRICAL MAINT FORTNIGHTLY FOR METER CABINS

DONE ON BY 12TH FEB & 26TH FEB 22 ABHIJIT JAGTAP. REPORT FILED IN FM.

18. TRAINING TO GUARDS/ SUPERVISORS

NO TRAINING CONDUCTED DUE TO CORONA WAVE.

DATE/TIME	INSTRUCTOR	TOPIC	ATTENDED BY
05 TH FEB 2022	S S GODE	THEFT INVESTIGATION SEC GADGETS	SECURITY OFFICERS:01 SEC
12 TH FEB 2022	S S GODE	FIRE FIGHTING PLAN	SECURITY OFFICERS 01 SEC
18 TH FEB 2022	S S GODE	VIGILLANCE & INTELLIGENCE	SECURITY OFFICERS 1 SEC
26 TH FEB 2022	S S GODE	EMERGENCY EVACUATION	SECURITY OFFICERS 1 SEC

19. AUTO GATE SERVICEABILITY

GATE 1 : US

GATE 2 : US

GATE 3 : US

Engineer will shortly visit.

20. TORCHES SERVICEABILITY

TORCH 1 : S

TORCH 2 : S

EMERGENCY LIGHT : S

21. EVENTS TOOK PLACE: NIL

22. EVENTS IN NEXT MONTH: NIL

23. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLT	POWER UNT	INTER NET	EFF %	
VP	2 TO 7, 74 TO 77, 165 TO 174	20	1(171)					95%	CAMERA FAULT
VIT A	8 TO 10, 13 to 17 & 20 143,175 & 176	12			2 (14, 17)			83%	CABLE FAULT
VIT D	11, 12, 18,19, 33 TO 42 & 190	15		S				100%	
VIT E	21,22 & 43 TO 52,142 & 191	14		S				100%	
VIT G	182 TO 189	08		S				100%	
BASEMENT 1	78 TO 85	08		S				100%	
BASEMENT 2	86 TO 93	08	3(87, 91)	S				63%	CAME FAULT
M1	94 TO 98	05		S				100%	

M2	99 TO 102	04		S				100%	
M3	103 TO 110	08						100%	
M4	111 TO 118	08		S				100%	
M5	119 TO 128	10						100%	
M6	129 TO 132	04						100%	
M7	133 TO 141	09	2(13)					78%	CAM FAULTY
VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12	1(14)	S	2(25, 26)			83%	
VSIT 2	28 TO 30,69 TO 73	08		S				100%	
VSIT 3	53 TO 68	16	1(60)	S				94%	CAMERA FAULT
REAR GATE	145 TO 147	03		S				100%	NET ISSUE
S	148 TO 155,194	09		S				100%	
Y	156 TO 164, 177,195	11		S				100%	
MAIN GATE	1, 192 & 193	03		S				100%	
TOTAL CAMS		195	07		04	00		94%	

: SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK

PO RAISED. NO CHANGE IN STATUS

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PTT	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T
SECURITY	1 TO 13 27 TO 38	4,5,6,10, 11,28,31, 34,35	4,5,6,11, 28,31,34, 35	01, 11, 28	01, 03, 04	04,05,11 ,31		06	
DIRECTOR	14								
FM	15 TO 19	15,18	15,18		15	15			18
HK	20 TO 23								
CANTEEN IC	24								
SYNERGY	25	25	25					25	
SYSTEM	26								
TOTAL	38	12	11	03	04	05	00	02	01

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

STARTED WORKING FROM 08TH JUNE 2020

REGULAR		
KAIZEN	H'KEEPING	(03)
BVG	H'KEEPING	(00)
RARE	H'KEEPING	(06)
CANARA	H'KEEPING	(08)
BHAVE	STATIONERY	(00)
STP	PLANT	(01)
SCOT	SECURITY	(23)
SUKH SAGAR	CANTEEN	(01)
CCD	CAFE	(00)
DOMINOS	PIZZA	(00)
CANARA GARDEN	GARDENER	(02)
SYNERGY	ELECT	(01)

TEMPORARY		
COOLART	AC (VT)	(01)
HTL	AC (M)	(02)
AIRCARE	AC (VP)	(01)
COOLWELL	AC (X)	(02)
SUNIL	CARPENTER	(04)

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT

CANTEEN	(00)
---------	------

(Handwritten signature)
 Technical Officer

MONTHLY SECURITY REPORT: JAN 2022 VIDYALANKAR EDUCATIONAL CAMPUS

1. CAMPUS INCIDENTS/ ACCIDENTS: **NIL**
2. FIRE INCIDENT : **NIL**
3. MEDICAL EMERGENCY: **NIL**
4. THEFT CASES : **NIL**
5. ROAD SAFETY VIOLATIONS: **NIL**
6. RETURNABLE GATE PASSES OUTSTANDING: **NIL**
7. PEST CONTROL DATES:

	FOGGING	SPRAY					RODENT	GEL	CONTRACT
PCI	N/A	2	9	16	23	30	2	16	NOV 2022
BMC		2	9	16	23	30	N/A		N/A

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED ON	NEXT CLEANING DUE ON
UNDERGROUND	FIRE	01 OCT 2021	04 NOV 2021	01 FEB 2022
UNDERGROUND	DRINKING	01 OCT 2021	04 NOV 2021	01 FEB 2022
UNDERGROUND	WELL	01 DEC 2021	04 DEC 2021	01 JUN 2022
OVERHEAD	FIRE	01 OCT 2021	05 NOV 2021	01 FEB 2022
OVERHEAD	DRINKING	01 OCT 2021	05 NOV 2021	01 FEB 2022
OVERHEAD	WELL	01 DEC 2021	05 DEC 2021	01 JUN 2022

WATER TANKERS ORDERED IN THE MONTH: NIL

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019.
SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

NEXT CLEANING DUE ON: 1ST JUNE 2019.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP

CLEAR

11. ACCESS TO FIRE TENDER BEHIND VISIT Y & S

CLEAR

12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN

YES

13. EMERGENCY WINDOWS & DOOR OPERATIONAL

YES

14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICEABILITY

M BLOCK

SPRINKLER PUMP : S

DIESEL PUMP: S

HYDRANTS & HOSE CABINS NO. 6 TO 10: S

AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.

MAIN PUMP : S

JOCKEY PUMP: S

BOOSTER PUMP : S

HYDRANT ELECT PANEL : S

HYDRANT SYSTEM MAINTENANCE DONE ON: 9 & 25 JAN 2021

VIT, VP & VST

MAIN PUMP : S

HYDRANT ELECT PANEL: S

HYDRANT SYSTEM MAINT DONE ON 29 Jan

JOCKEY PUMP : S

HYDRANTS & HOSE CABINS NO. 1 TO 05: S

AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 22.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTORS SERVICEABILITY

VIT BASEMENT

FIRE ALARM PANEL : S

FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S

SMOKE DETECTORS: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2022

M BLOCK

FIRE ALARM PANEL : S

FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S

SMOKE DETECTORS: ALL S

ALARM AMC: DELUXE 1st Feb 21 To 31ST Jan 22

VST B, S BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR GD +1: ALL S

ALARM AMC: OUST FIRE UPTO 31 MAR 2022

FIRE ALARM PANEL : S

FIRE HOOTERS ON EACH FLR 1 TO 7: S

SMOKE DETECTORS: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 MAR 2022

LOOP CARD REPAIRED

16. FIRE EXTINGUISHERS

FIRE EXTINGUISHERS SERVICEABLE

ALL

FIRE EXTINGUISHERS EXPIRED

NIL

FIRE EXTINGUISHERS PRESSURE DROPPED

NIL

FIRE EXTINGUISHERS USED & EMPTY

NIL

17. ELECTRICAL MAINT FORTNIGHTLY FOR METER CABINS

DONE ON 10TH JAN & 22RD JAN 2021 BY ABHIJIT JAGTAP. REPORT FILED IN FM.

18. TRAINING TO GUARDS/ SUPERVISORS

NO TRAINING CONDUCTED DUE TO CORONA WAVE.

DATE/TIME	INSTRUCTOR	TOPIC	ATTENDED BY
4 TH JAN 2022	PRABHAKAR JANYE	REPUBLIC DAY PARED PRACTICE	SECURITY OFFICERS:02 SE
8 TH JAN 2022	PRABHAKAR JANYE	REPUBLIC DAY PARED PRACTICE	SECURITY OFFICERS:02 SE
15 TH JAN 2022	SATISH GODE	REPUBLIC DAY PARED PRACTICE	SECURITY OFFICERS:02 SE
23 TH JAN 2022	SATISH GODE	FIRE EXTINGUISHERS & ELECTRIC LAYOUTS	SECURITY OFFICERS 1 SEC

19. AUTO GATE SERVICEABILITY

GATE 1 : US

GATE 2 : US

GATE 3 : US

Engineer will shortly visit.

20. TORCHES SERVICEABILITY

TORCH 1 : S

TORCH 2 : S

EMERGENCY LIGHT : S

21. EVENTS TOOK PLACE: NIL

22. EVENTS IN NEXT MONTH: NIL

23. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLT	POWER UNIT	INTER NET	EFF %	
VP	2 TO 7, 74 TO 77, 165 TO 174	20	1(171)					95%	CAMERA FAULT
VIT A	8 TO 10, 13 to 17 & 20	12			2 (14, 17)			83%	CABLE FAULT
VIT D	11, 12, 18,19, 33 TO 42 & 190	15		S				100%	
VIT E	21,22 & 43 TO 52,142 & 191	14		S				100%	
VIT G	182 TO 189	08		S				100%	
BASEMENT 1	78 TO 85	08		S				100%	
BASEMENT 2	86 TO 93	08	3(87, 91)	S				63%	CAME FAULT
M1	94 TO 98	05		S				100%	

M2	99 TO 102	04		S				100%	
M3	103 TO 110	08		S				100%	
M4	111 TO 118	08						100%	
M5	119 TO 128	10						100%	
M6	129 TO 132	04						78%	CAM FAULTY
M7	133 TO 141	09	2(133), 139						
VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12		S		2(25, 26)		83%	CABEL FAUL
VSIT 2	28 TO 30,69 TO 73	08		S				100%	
VSIT 3	53 TO 68	16	1(60)	S				94%	CAMERA FAU
REAR GATE	145 TO 147	03		S				100%	
S	148 TO 155,194	09		S				100%	
Y	156 TO 164, 177,195	11		S				100%	
MAIN GATE	1, 192 & 193	03		S				100%	
TOTAL CAMS		195	07			04	00	94%	

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK
 PO RAISED. NO CHANGE IN STATUS

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PIT	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T
SECURITY	1 TO 13 27 TO 38	4,5,6,10, 11,2831, 34,35	4,5,6,11, 28,31,34, 35	01, 11, 28	01, 03, 04	04,05,11, 31		06	
DIRECTOR	14								18
FM	15 TO 19	15,18	15,18		15	15			
HK	20 TO 23								
CANTEEN IC	24							25	
SYNERGY	25	25	25						
SYSTEM	26								
TOTAL	38	12	11	03	04	05	00	02	01

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

REGULAR

STARTED WORKING FROM 08TH JUNE 2020

KAIZEN	H'KEEPING	(03)	SCOT	SECURITY	(23)
BVG	H'KEEPING	(00)	SUKH SAGAR	CANTEEN	(01)
RARE	H'KEEPING	(06)	CCD	CAFE	(00)
CANARA	H'KEEPING	(08)	DOMINOS	PIZZA	(00)
BHAVE	STATIONERY	(00)	CANARA GARDEN	GARDENER	(02)
STP	PLANT	(01)	SYNERGY	ELECT	(01)

TEMPORARY

COOLART	AC (VIT)	(01)	SUNIL	CARPENTER	(04)
HTL	AC (M)	(02)			
AIRCARE	AC (VP)	(01)			
COOLWELL	AC (X)	(02)			

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT

CANTEEN (00)

Security Officer

**MONTHLY SECURITY REPORT: DEC 2021
VIDYALANKAR EDUCATIONAL CAMPUS**

1. CAMPUS INCIDENTS/ ACCIDENTS: NIL
2. FIRE INCIDENTS: NIL
3. MEDICAL EMERGENCY: NIL
4. THEFT CASES : NIL
5. ROAD SAFETY VIOLATIONS: NIL
6. RETURNABLE GATE PASSES OUTSTANDING: NIL
7. PEST CONTROL DATES:

PCI	FOGGING				SPRAY				ROBENT				GEL				CONTRACT		
	-	-	-	-	6	13	20	27	6	-	20	-	-	-	21	-	-	-	NOV 2022
BMC	-	-	-	-	6	13	20	27		N/A						N/A			N/A

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED ON	RE-ENTRY DATE
UNDERGROUND	FIRE	01 OCT 2020	04 NOV 2021	01 FEB 2022
UNDERGROUND	DRINKING	01 OCT 2020	04 NOV 2021	01 FEB 2022
UNDERGROUND	WELL	01 DEC 2020	04 DEC 2021	01 JUN 2022
OVERHEAD	FIRE	01 OCT 2020	05 NOV 2021	01 FEB 2022
OVERHEAD	DRINKING	01 OCT 2020	05 NOV 2021	01 FEB 2022
OVERHEAD	WELL	01 DEC 2020	05 DEC 2021	01 JUN 2022

WATER TANKERS ORDERED IN THE MONTH: NIL

REASON: N/A

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019.
SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

NEXT CLEANING DUE ON: 1ST JUNE 2019.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP

CLEAR

11. ACCESS TO FIRE TENDER BEHIND VSIT, Y & S

CLEAR

12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN

YES

13. EMERGENCY WINDOWS & DOOR OPERATIONAL

YES

14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICEABILITY

M BLOCK

MAIN PUMP : S

SPRINKLER PUMP : S

JOCKEY PUMP: S

DIESEL PUMP: S

BOOSTER PUMP : S

HYDRANTS & HOSE CABINS NO. 6 TO 10: S

HYDRANT ELECT PANEL : S

AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.

HYDRANT SYSTEM MAINTENANCE DONE ON: 9 & 25 DEC 2021

MAIN PUMP : S

VIT, VP & VSIT

HYDRANT ELECT PANEL: S

JOCKEY PUMP : S

HYDRANT SYSTEM MAINT DONE ON 29 DEC

HYDRANTS & HOSE CABINS NO. 1 TO 05: S

AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 22.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTORS SERVICEABILITY

VIT BAS: MENT

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2021

M BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S

ALARM AMC: DELUXE 1st Feb 21 To 31ST Jan 22

VSIT & S BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR GD +1: ALL S

ALARM AMC: OUST FIRE UPTO 31 MAR 2022

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7: S

ALARM AMC: VIJAYLAXMI UPTO 31 MAR 2022

LOOP CARD REPAIRED

16. FIRE EXTINGUISHERS

FIRE EXTINGUISHERS SERVICEABLE	NIL
FIRE EXTINGUISHERS EXPIRED	NIL
FIRE EXTINGUISHERS PRESSURE DROPPED	NIL
FIRE EXTINGUISHERS USED & EMPTY	NIL

17. ELECTRICAL MAINT FORTNIGHTLY FOR METER CABINS

DONE ON 10TH DEC & 22RD DEC 2021 BY ABHIJIT JAGTAP. REPORT FILED IN FM.

18. TRAINING TO GUARDS/ SUPERVISORS

NO TRAINING CONDUCTED DUE TO CORONA WAVE.

DATE/TIME	INSTRUCTOR	TOPIC	ATTENDED BY

19. AUTO GATE SERVICEABILITY

GATE 1 : US

GATE 2 : US

GATE 3 : US

Engineer will shortly visit.

20. TORCHES SERVICEABILITY

TORCH 1 : S

TORCH 2 : S

EMERGENCY LIGHT : S

21. EVENTS TOOK PLACE: NIL

22. EVENTS IN NEXT MONTH: NIL

23. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLT	POWER UNT	INTER NET	EFF %	REMAI
VP	2 TO 7, 74 TO 77, 165 TO 174	20						100%	
VIT A	8 TO 10, 13 to 17 & 20 143,175 & 176	12	1 (13)					92%	
VIT D	11, 12, 18,19, 33 TO 42 & 190	15		S				100%	
VIT E	21,22 & 43 TO 52,142 & 191	14		S				100%	
VIT G	182 TO 189	08		S				100%	
BASEMENT 1	78 TO 85	08		S				100%	
BASEMENT 2	86 TO 93	08		S				100%	
M1	94 TO 98	05		S				100%	
M2	99 TO 102	04		S				100%	
M3	103 TO 110	08						100%	
M4	111 TO 118	08		S				100%	
M5	119 TO 128	10						100%	
M6	129 TO 132	04						100%	
M7	133 TO 141	09						100%	

VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12		S				100%	
VSIT 2	28 TO 30,69 TO 73	08		S				100%	
VSIT 3	53 TO 68	16		S				100%	
REAR GATE	145 TO 147	03		S				100%	
S	148 TO 155,194	09		S				100%	NET ISSUE
Y	156 TO 164, 177,195	11		S				100%	
MAIN GATE	1, 192 & 193	03		S				100%	
TOTAL CAMS		195	01	-	00	00		99.5%	

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK

PO RAISED. NO CHANGE IN STATUS

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PTT	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T	E
SECURITY	1 TO 13 27 TO 38	4,5,6,10, 11,2831, 34,35	4,5,6,11, 28,31,34, 35	01, 11, 28	01, 03, 04	04,05,11 ,31		06		
DIRECTOR FM	14 15 TO 19	15,18	15,18		15	15			18	
HK	20 TO 23									
CANTEEN IC	24									
SYNERGY SYSTEM	25 26	25	25					25		
TOTAL	38	12	11	03	04	05	00	02	01	60%

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

REGULAR

STARTED WORKING FROM 08TH JUNE 2020


KAIZEN	H'KEEPING	(03)	SCOT	SECURITY	(23)
BVG	H'KEEPING	(00)	SUKH SAGAR	CANTEEN	(01)
RARE	H'KEEPING	(06)	CCD	CAFE	(00)
ANARA	H'KEEPING	(08)	DOMINOS	PIZZA	(00)
BHAVE	STATIONERY	(00)	CANARA GARDEN	GARDENER	(02)
STP	PLANT	(01)	SYNERGY	ELECT	(01)

TEMPORARY

COOLART	AC (VIT)	(01)	SUNIL	CARPENTER	(04)
HTL	AC (M)	(02)			
AIRCARE	AC (VP)	(01)			
COOLWELL	AC (X)	(02)			

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT

CANTEEN	(00)
---------	------


 Security Officer
 Vidyapeeth Onyanapeeth Trust's
VIJAYANKAR EDUCATIONAL CAMPUS
 Madala (E), Mumbai-400 037. Tel.: 8122 2416 1128

MONTHLY SECURITY REPORT: NOV 2021
VIDYALANKAR EDUCATIONAL CAMPUS

1. CAMPUS INCIDENTS/ ACCIDENTS: **NIL**
2. FIRE INCIDENTS: **NIL**
3. MEDICAL EMERGENCY: **NIL**
4. THEFT CASES : **NIL**
5. ROAD SAFETY/ VIOLATIONS: **NIL**
6. RETURNABLE GATE PASSES OUTSTANDING: **NIL**
7. PEST CONTROL DATES:

	FOGGING				SPRAY				RODENT			GEL			CONTRACT	
PCI	N/A				7	14	21	28	7	-	21	-	-	21	-	NOV 2022
BMC	-	-	-	-	7	14	21	28	N/A			N/A			N/A	

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED ON	NEXT CLEANING DUE ON
UNDERGROUND	FIRE	01 OCT 2020	04 NOV 2021	01 FEB 2022
UNDERGROUND	DRINKING	01 OCT 2020	04 NOV 2021	01 FEB 2022
UNDERGROUND	WELL	01 DEC 2020	04 DEC 2021	01 JUN 2022
OVERHEAD	FIRE	01 OCT 2020	05 NOV 2021	01 FEB 2022
OVERHEAD	DRINKING	01 OCT 2020	05 NOV 2021	01 FEB 2022
OVERHEAD	WELL	01 DEC 2020	05 DEC 2021	01 JUN 2022

WATER TANKERS ORDERED IN THE MONTH: NIL

REASON: N/A

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019. NEXT CLEANING DUE ON: 1ST JUNE 2019.
SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP CLEAR
11. ACCESS TO FIRE TENDER BEHIND VSIT, Y & S CLEAR
12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN YES
13. EMERGENCY WINDOWS & DOOR OPERATIONAL YES
14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICEABILITY

M BLOCK
MAIN PUMP : S
JOCKEY PUMP: S
BOOSTER PUMP : S
HYDRANT ELECT PANEL : S
HYDRANT SYSTEM MAINTENANCE DONE ON: 9 & 25 NOV 2021
M BLOCK
SPRINKLER PUMP : S
DIESEL PUMP: S
HYDRANTS & HOSE CABINS NO. 6 TO 10: S
AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.

VIT, VIT & VSIT
MAIN PUMP : S
HYDRANT ELECT PANEL: S
HYDRANT SYSTEM MAINT DONE ON 29 NOV
VIT, VIT & VSIT
JOCKEY PUMP : S
HYDRANTS & HOSE CABINS NO. 1 TO 05: S
AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 22.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTORS SERVICEABILITY

VIT BASEMENT
FIRE ALARM PANEL : S
FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S
SMOKE DETECTORS: ALL S
ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2021
M BLOCK
FIRE ALARM PANEL : S
FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S
SMOKE DETECTORS: ALL S
ALARM AMC: DELUXE 1st Feb 21 To 31ST Jan 22
VSIT & S BLOCK
FIRE ALARM PANEL : S
SMOKE DETECTORS: ALL S

VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12		S				100%	
VSIT 2	28 TO 30,69 TO 73	08		S				100%	
VSIT 3	53 TO 68	16		S				100%	
REAR GATE	145 TO 147	03		S				100%	
S	148 TO 155,194	09		S				100%	NET ISSUE
Y	156 TO 164, 177,195	11		S				100%	
MAIN GATE	1, 192 & 193	03		S				100%	
TOTAL CAMS		195	01		00	00		99.5%	

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK
PO RAISED. NO CHANGE IN STATUS

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PTT	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T	E
SECURITY	1 TO 13 27 TO 38	4,5,6,10, 11,2831, 34,35	4,5,6,11, 28,31,34, 35	01, 11, 28	01, 03, 04	04,05,11 ,31		06		
DIRECTOR FM HK	14 15 TO 19 20 TO 23		15,18		15	15			18	
CANTEEN IC SYNERGY SYSTEM	24 25 26	25	25					25		
TOTAL	38	12	11	03	04	05	00	02	01	60%

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

REGULAR

STARTED WORKING FROM 08TH JUNE 2020

KAIZEN	H'KEEPING	(03)	SCOT	SECURITY	(23)
BVG	H'KEEPING	(00)	SUKH SAGAR	CANTEEN	(01)
RARE	H'KEEPING	(00)	CCD	CAFE	(00)
ANARA	H'KEEPING	(05)	DOMINOS	PIZZA	(00)
BHAVE	STATIONERY	(00)	CANARA GARDEN	GARDENER	(02)
STP	PLANT	(01)	SYNERGY	ELECT	(01)

TEMPORARY

COOLART	AC (VIT)	(01)	SUNIL	CARPENTER	(04)
HTL	AC (M)	(02)			
AIRCARE	AC (VP)	(01)			
COOLWELL	AC (X)	(02)			

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT

CANTEEN	(01)
---------	------



Security Officer

(Crystonkar) (Sudhath Trust's

VIDYALAKSHMI EDUCATIONAL CAMPUS

Chennai (E), Number-40/037, Tel: 9122 2416 1111

MONTHLY SECURITY REPORT: OCT 2021
VIDYALANKAR EDUCATIONAL CAMPUS

1. CAMPUS INCIDENTS/ ACCIDENTS: NIL
2. FIRE INCIDENTS: NIL
3. MEDICAL EMERGENCY: NIL
4. THEFT CASES : NIL
5. ROAD SAFETY VIOLATIONS: NIL
6. RETURNABLE GATE PASSES OUTSTANDING: NIL
7. PEST CONTROL DATES:

PCI	FOGGING					SPRAY					RODENT			GEL			CONTRACT	
	N/A					3	10	17	24	31	3	-	17	-	-	17	-	NOV 2022
BMC	-	-	-	-	-	3	10	17	24	31	N/A			N/A			N/A	

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED ON	REASON FOR NOT CLEANING
UNDERGROUND	FIRE	01 OCT 2020	30 JUN 2021	01 OCT 2021
UNDERGROUND	DRINKING	01 OCT 2020	30 JUN 2021	01 OCT 2021
UNDERGROUND	WELL	01 DEC 2020	29 NOV 2020	01 DEC 2021
OVERHEAD	FIRE	01 OCT 2020	30 JUN 2021	01 OCT 2021
OVERHEAD	DRINKING	01 OCT 2020	30 JUN 2021	01 OCT 2021
OVERHEAD	WELL	01 DEC 2020	30 NOV 2020	01 DEC 2021

WATER TANKERS ORDERED IN THE MONTH: NIL

REASON: N/A

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019.
SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

NEXT CLEANING DUE ON: 1ST JUNE 2019.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP CLEAR
11. ACCESS TO FIRE TENDER BEHIND VSIT, Y & S CLEAR
12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN YES
13. EMERGENCY WINDOWS & DOOR OPERATIONAL YES
14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICEABILITY

M BLOCK

MAIN PUMP : S

SPRINKLER PUMP : S

JOCKEY PUMP: S

DIESEL PUMP: S

BOOSTER PUMP : S

HYDRANTS & HOSE CABINS NO. 6 TO 10: S

HYDRANT ELECT PANEL : S

AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.

HYDRANT SYSTEM MAINTENANCE DONE ON: 9 & 25 OCT 2021

VIT, VP & VSIT

MAIN PUMP : S

JOCKEY PUMP : S

HYDRANT ELECT PANEL: S

HYDRANTS & HOSE CABINS NO. 1 TO 05: S

HYDRANT SYSTEM MAINT DONE ON 29 OCT

AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 22.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTOR SERVICEABILITY

VIT BASEMENT 1:

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2021

M BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S

ALARM AMC: DELUXE 1st Feb 21 To 31ST Jan 22

VSIT & S BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR GD +1: ALL S

ALARM AMC: OUST FIRE UPTO 31 MAR 2022

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7: S

ALARM AMC: VIJAYLAXMI UPTO 31 MAR 2022

LOOP CARD REPAIRED

16. FIRE EXTINGUISHERS

FIRE EXTINGUISHERS SERVICEABLE	NIL
FIRE EXTINGUISHERS EXPIRED	NIL
FIRE EXTINGUISHERS PRESSURE DROPPED	NIL
FIRE EXTINGUISHERS USED & EMPTY	NIL

17. ELECTRICAL MAINT FORTNIGHTLY FOR METER CABINS

DONE ON 8TH OCT & 23RD OCT 2021 BY ABHIJIT JAGTAP. REPORT FILED IN FM.

18. TRAINING TO GUARDS/ SUPERVISORS

NO TRAINING CONDUCTED DUE TO CORONA WAVE.

DATE/TIME	INSTRUCTOR	TOPIC	ATTENDED BY

19. AUTO GATE SERVICEABILITY

GATE 1 : S

GATE 2 : US

GATE 3 : US

Engineer had payment issue which has been resolved.

20. TORCHES SERVICEABILITY

TORCH 1 : S

TORCH 2 : S

EMERGENCY LIGHT : S

21. EVENTS TOOK PLACE: NIL

22. EVENTS IN NEXT MONTH: NIL

23. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLTY	POWER UNT	INTER NET	EFF %	REMARKS
VP AK	2 TO 7, 74 TO 77, 165 TO 174	20		S				100%	
VIT A	8 TO 10, 13 to 17 & 20 143,175 & 176	12	1 (13)	S				92%	
VIT D	11, 12, 18,19, 33 TO 42 & 190	15		S				100%	
VIT E	21,22 & 43 TO 52,142 & 191	14		S				100%	
VIT G	182 TO 189	08		S				100%	
BASEMENT 1	78 TO 85	08		S				100%	
BASEMENT 2	86 TO 93	08		S				100%	
M1	94 TO 98	05		S				100%	
M2	99 TO 102	04		S				100%	
M3	103 TO 110	08		S				100%	
M4	111 TO 118	08		S				100%	
M5	119 TO 128	10		S				100%	
M6	129 TO 132	04		S				100%	
M7	133 TO 141	09		S				100%	

VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12	S	100%	
VSIT 2	28 TO 30,69 TO 73	08	S	100%	
VSIT 3	53 TO 68	16	S	100%	
REAR GATE	145 TO 147	03	S	100%	
S	148 TO 155,194	09	S	100%	
Y	156 TO 164, 177,195	11	S	100%	
MAIN GATE	1, 192 & 193	03	S	100%	
TOTAL CAMS		195	01	00 00	99.5%

NET ISSUE

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK
PO RAISED. NO CHANGE IN STATUS

ARNAV ENT: AMC UPTO 31TH MAR 2021. ARNAV AMC NOT EXTENDED.

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PTT	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T	EFF %
SECURITY	1 TO 13 27 TO 38	4,5,6,10, 11,2831, 34,35	4,5,6,11, 28,31,34, 35	01, 11, 28	01, 03, 04	04,05,11 ,31		06		
DIRECTOR FM HK	14 15 TO 19 20 TO 23	15,18	15,18		15	15			18	
CANTEEN IC SYNERGY SYSTEM	24 25 26	25	25					25		
TOTAL	38	12	11	03	04	05	00	02	01	60%

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

REGULAR

STARTED WORKING FROM 08TH JUNE 2020

KAIZEN	H'KLEPING	(03)	SCOT	SECURITY	(23)
BVG	H'KEEPING	(00)	SUKH SAGAR	CANTEEN	(01)
ARE	H'KEEPING	(00)	CCD	CAFE	(00)
CANARA	H'KEEPING	(05)	DOMINOS	PIZZA	(00)
BHAVE	STATIONERY	(00)	CANARA GARDEN	GARDENER	(02)
STP	PLANT	(01)	SYNERGY	ELECT	(01)

TEMPORARY

COOLART	AC (VIT)	(01)	SUNIL	CARPENTER	(04)
HTL	AC (M)	(02)			
AIRCARE	AC (VP)	(01)			
COOLWELL	AC (X)	(02)			

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT

CANTEEN (01)

Signature of the official
 Director, Education
 Maharashtra Educational Council
 1, Swami Vivekananda Road, Mumbai - 400 004

MONTHLY REPORT: SEP 2021
VIDYALANKAR EDUCATIONAL CAMPUS

1. CAMPUS INCIDENTS/ ACCIDENTS: **NIL**
2. FIRE INCIDENTS: **NIL**
3. MEDICAL EMERGENCY: **NIL**
4. THEFT CASES: **NIL**
5. ROAD SAFETY VIOLATIONS: **NIL**
6. RETURNABLE GATE PASSES OUTSTANDING: **NIL**
7. PEST CONTROL DATES:

	FOGGING	SPRAY				RODENT	GEL	CONTRACT
PCI	N/A	5	12	19	26	5	19	NOV 2021
BMC	-	5	12	19	26	N/A	N/A	N/A

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED UP	DATE OF NEXT CLEANING
UNDERGROUND	FIRE	01 OCT 2020	30 JUN 2021	01 OCT 2021
UNDERGROUND	DRINKING	01 OCT 2020	30 JUN 2021	01 OCT 2021
UNDERGROUND	WELL	01 DEC 2020	29 NOV 2020	01 DEC 2021
OVERHEAD	FIRE	01 OCT 2020	30 JUN 2021	01 OCT 2021
OVERHEAD	DRINKING	01 OCT 2020	30 JUN 2021	01 OCT 2021
OVERHEAD	WELL	01 DEC 2020	30 NOV 2020	01 DEC 2021

WATER TANKERS ORDERED IN THE MONTH: NIL

REASON: N/A

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2021.
SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

NEXT CLEANING DUE ON: 1ST JUNE 2024.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP

CLEAR

11. ACCESS TO FIRE TENDER BEHIND VSIT, Y & S

CLEAR

12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN

YES

13. EMERGENCY WINDOWS & DOOR OPERATIONAL

YES

14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICE/ SPLIT

M BLOCK

MAIN PUMP : S

SPRINKLER PUMP : S

JOCKEY PUMP: S

DIESEL PUMP: S

BOOSTER PUMP : S

HYDRANTS & HOSE CABINS NO. 6 TO 10: S

HYDRANT ELECT PANEL : S

AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.

HYDRANT SYSTEM MAINTENANCE DONE ON: 12SEP 2021

VIT, VP & VSIT

MAIN PUMP : S

JOCKEY PUMP : S

HYDRANT ELECT PANEL: S

HYDRANTS & HOSE CABINS NO. 1 TO 05: S

HYDRANT SYSTEM MAINT DONE ON 24

AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 22.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTORS SERVICEABILITY

VIT BASEMENT

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2021

M BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S

ALARM AMC: DELUXE 1st Feb 21 To 31ST Jan 22

VSIT & S BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12		S					100%
VSIT 2	28 TO 30,69 TO 73	08		S		1 (30)			82.5%
VSIT 3	53 TO 68	16		S					100%
REAR GATE	145 TO 147	03		S					100%
S	148 TO 155,194	09		S					100%
Y	156 TO 164, 177,195	11		S					100%
MAIN GATE	1, 192 & 193	03		S					100%
TOTAL CAMS		195	01			01	02		98.5%

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK

PO RAISED. NO CHANGE IN STATUS

ARNAV ENT: AMC UPTO 31TH MAR 2021. ARNAV AMC NOT EXTENDED.

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PTT	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T	EFF %
SECURITY	1 TO 13	4,5,6,10,	4,5,6,11,	01,	01,	04,05,11		06		
	27 TO 38	11,2831, 34,35	28,31,34, 35	11, 28	03, 04	,31				
DIRECTOR	14									
FM	15 TO 19	15,18	15,18		15	15			18	
HK	20 TO 23									
CANTEEN IC	24									
SYNERGY	25	25	25					25		
SYSTEM	26									
TOTAL	38	12	11	03	04	05	00	02	01	60%

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

REGULAR

STARTED WORKING FROM 08TH JUNE 2020

KAIZEN	H'KEEPING	(03)	SCOT	SECURITY	(23)
CVG	H'KEEPING	(00)	SUKH SAGAR	CANTEEN	(00)
RARE	H'KEEPING	(00)	CCD	CAFE	(00)
CANARA	H'KEEPING	(03)	DOMINOS	PIZZA	(00)
BHAVE	STATIONERY	(00)	CANARA GARDEN	GARDENER	(02)
STP	PLANT	(01)	SYNERGY	ELECT	(00)

TEMPORARY

COOLART	AC (VIT)	(00)	SRIKANT	CIVIL	(02)
HTL	AC (M)	(02)			
AIRCARE	AC (VP)	(00)			
COOLWELL	AC (X)	(00)			

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT

CANTEEN	(00)				
---------	------	--	--	--	--

NO ONE IS STAYING OVERNIGHT

MONTHLY REPORT: AUG 2021
VIDYALANKAR EDUCATIONAL CAMPUS

1. CAMPUS INCIDENTS/ ACCIDENTS: NIL
2. FIRE INCIDENTS: NIL
3. MEDICAL EMERGENCY: NIL
4. THEFT CASES : NIL
5. ROAD SAFETY VIOLATIONS: NIL
6. RETURNABLE GATE PASSES OUTSTANDING: NIL
7. PEST CONTROL DATES:

PCI	FOGGING				SPRAY				RODENT			GEL			CONTRACT
					7	14	21	28	7	21		21			
BMC	-	-	-	-	7	14	21	28	7	N/A					N/A

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED ON	NEXT CLEANING DUE ON
UNDERGROUND	FIRE	01 OCT 2020	30 JUN 2021	01 OCT 2021
UNDERGROUND	DRINKING	01 OCT 2020	30 JUN 2021	01 OCT 2021
UNDERGROUND	WELL	01 DEC 2020	29 NOV 2020	01 DEC 2021
OVERHEAD	FIRE	01 OCT 2020	30 JUN 2021	01 OCT 2021
OVERHEAD	DRINKING	01 OCT 2020	30 JUN 2021	01 OCT 2021
OVERHEAD	WELL	01 DEC 2020	30 NOV 2020	01 DEC 2021

WATER TANKERS ORDERED IN THE MONTH: NIL

REASON: N/A

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019.
SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

NEXT CLEANING DUE ON: 1ST JUN 2019.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP

CLEAR

11. ACCESS TO FIRE TENDER BEHIND VSIT, Y & S

CLEAR

12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN

YES

13. EMERGENCY WINDOWS & DOOR OPERATIONAL

YES

14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICEABILITY

M BLOCK

MAIN PUMP : S

SPRINKLER PUMP : S

JOCKEY PUMP: S

DIESEL PUMP: S

BOOSTER PUMP : S

HYDRANTS & HOSE CABINS NO. 6 TO 10: S

HYDRANT ELECT PANEL : S

AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.

HYDRANT SYSTEM MAINTENANCE DONE ON: 12 AUG 2021

VIT, VP & VS

MAIN PUMP : S

JOCKEY PUMP : S

HYDRANT ELECT PANEL: S

HYDRANTS & HOSE CABINS NO. 1 TO 05: S

HYDRANT SYSTEM MAINT DONE ON 24

AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 22.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTORS SERVICEABILITY

VIT BASEMENT

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2021

M BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S

ALARM AMC: DELUXE 1st Feb 21 To 31ST Jan 22

VSIT & S BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

VSIT 1	23 TO 27,31 TO 32, 144 & 178 TO 181	12		S				100%	
VSIT 2	28 TO 30,69 TO 73	08		S		1 (30)		82.5%	POWER SUPPLY FLTY
VSIT 3	53 TO 68	16		S				100%	
REAR GATE	145 TO 147	03		S				100%	
S	148 TO 155,194	09		S				100%	
Y	156 TO 164, 177,195	11		S				100%	
MAIN GATE	1, 192 & 193	03		S				100%	
TOTAL CAMS		195	01			01	02	98.5%	

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK
 PO RAISED. NO CHANGE IN STATUS
 ARNAV ENT: AMC UPTO 31TH MAR 2021. ARNAV AMC NOT EXTENDED.

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PTT	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T	EFF %
SECURITY	1 TO 13 27 TO 38	4,5,6,11, 31,34	4,5,6,11, 31,34	01, 11	01	04,05,11 ,31		06		
DIRECTOR	14									
FM	15 TO 19	18	18						18	
HK	20 TO 23									
CANTEEN IC	24									
SYNERGY	25									
SYSTEM	26									
TOTAL	38	07	08	02	01	04	00	01	01	89%

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

REGULAR

STARTED WORKING FROM 08TH JUNE 2020

KAIZEN	H'KEEPING	(03)	SCOT	SECURITY	(23)
BVG	H'KEEPING	(00)	SUKH SAGAR	CANTEEN	(00)
ARE	H'KEEPING	(00)	CCD	CAFE	(00)
CANARA	H'KEEPING	(03)	DOMINOS	PIZZA	(00)
BHAVE	STATIONERY	(00)	CANARA GARDEN	GARDENER	(02)
STP	PLANT	(01)	SYNERGY	ELECT	(00)

TEMPORARY

COOLART	AC (VIT)	(00)	SRIKANT	CIVIL	(02)
HTL	AC (M)	(02)			
AIRCARE	AC (VP)	(00)			
COOLWELL	AC (X)	(00)			

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT:

CANTEEN	(00)				
---------	------	--	--	--	--

NO ONE IS STAYING OVERNIGHT


 Security Officer

MONTHLY REPORT: JULY 2021
VIDYALANKAR EDUCATIONAL CAMPUS

1. CAMPUS INCIDENTS/ ACCIDENTS: NIL
2. FIRE INCIDENTS: NIL
3. MEDICAL EMERGENCY: NIL
4. THEFT CASES : NIL
5. ROAD SAFETY VIOLATIONS: NIL
6. RETURNABLE GATE PASSES OUTSTANDING: NIL
7. PEST CONTROL DATES:

	FOGGING	SPRAY					RODENT	GEL	CONTRACT
PCI	N/A	3	10	17	24	31	3	17	NOV 2021
BMC	-	3	10	17	24	31	N/A	N/A	N/A

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED ON	NEXT CLEANING DATE
UNDERGROUND	FIRE	01 OCT 2020	30 JUN 2021	01 OCT 2021
UNDERGROUND	DRINKING	01 OCT 2020	30 JUN 2021	01 OCT 2021
UNDERGROUND	WELL	01 DEC 2020	29 NOV 2020	01 DEC 2021
OVERHEAD	FIRE	01 OCT 2020	30 JUN 2021	01 OCT 2021
OVERHEAD	DRINKING	01 OCT 2020	30 JUN 2021	01 OCT 2021
OVERHEAD	WELL	01 DEC 2020	30 NOV 2020	01 DEC 2021

WATER TANKERS ORDERED IN THE MONTH: NIL

REASON: N/A

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019.

NEXT CLEANING DUE ON: 1ST JUNE 2019

SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP

CLEAR

11. ACCESS TO FIRE TENDER BEHIND VSIT, Y & S

CLEAR

12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN

YES

13. EMERGENCY WINDOWS & DOOR OPERATIONAL

YES

14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICEABILITY

M BLOCK

MAIN PUMP : S

SPRINKLER PUMP : S

JOCKEY PUMP: S

DIESEL PUMP: S

BOOSTER PUMP : S

HYDRANTS & HOSE CABINS NO. 6 TO 10: S

HYDRANT ELECT PANEL : S

AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.

HYDRANT SYSTEM MAINTENANCE DONE ON: 26 JULY 2021

VIT, VP & VSIT

MAIN PUMP : S

JOCKEY PUMP : S

HYDRANT ELECT PANEL: S

HYDRANTS & HOSE CABINS NO. 1 TO 05: S

HYDRANT SYSTEM MAINT DONE ON | 27

AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 22.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTORS SERVICEABILITY

VIT BASEMENT

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2021

M BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S

ALARM AMC: DELUXE 1st Feb 21 To 31ST Jan 22

VSIT & S BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR GD +1: ALL S

ALARM AMC: OUST FIRE UPTO 31 MAR 2021

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7:US

ALARM AMC: VIJAYLAXMI UPTO 31 MAR 2022

LOOK CARD FAULTY. SENT FOR REPAIR (UNDER WARRANTY)

16. FIRE EXTINGUISHERS

FIRE EXTINGUISHERS SERVICEABLE	NIL
FIRE EXTINGUISHERS EXPIRED	NIL
FIRE EXTINGUISHERS PRESSURE DROPPED	NIL
FIRE EXTINGUISHERS USED & EMPTY	NIL

17. ELECTRICAL MAINT FORTNIGHTLY FOR METER CABIN

DONE ON 16TH MAR 2021 BY ABHIJIT JAGTAP. REPORT FILED IN FM.

18. TRAINING TO GUARDS/ SUPERVISORS

NO TRAINING CONDUCTED DUE TO CORONA WAVE.

DATE/TIME	INSTRUCTOR	TOPIC	ATTENDED BY

19. AUTO GATE SERVICEABILITY

GATE 1 : S

GATE 2 : S

GATE 3 : US

A 1 FENCE ENGINEERS ATTENDED AND REPAIRED GATE 1 & 3.

GATE 3 BECAME U/S. ENGG. YET TO VISIT.

20. TORCHES SERVICEABILITY

TORCH 1 : S

TORCH 2 : S

EMERGENCY LIGHT : S

21. EVENTS TOOK PLACE: NIL

22. EVENTS IN NEXT MONTH: NIL

23. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLT	POWER UNIT	INTER NET	EFF %	REMARKS
VP	2 TO 7, 74 TO 77, 165 TO 174	20						100%	
QOIT A	8 TO 10, 13 to 17 & 20 143,175 & 176	12	1 (17)					92%	CAM/CBL FAULTY
VIT D	11, 12, 18,19, 33 TO 42 & 190	15		S				100%	
VIT E	21,22 & 43 TO 52,142 & 191	14		S				100%	
VIT G	182 TO 189	08		S				100%	
BASEMENT 1	78 TO 85	08		S				100%	
BASEMENT 2	86 TO 93	08		S				100%	
M1	94 TO 98	05		S				100%	
M2	99 TO 102	04		S				100%	
M3	103 TO 110	08						100%	
M4	111 TO 118	08		S				100%	
M5	119 TO 128	10						100%	
M6	129 TO 132	04						100%	
M7	133 TO 141	09						100%	
VSIT 1	23 TO 27,31 TO 32,	12		S				100%	

VSIT 2	144 & 178 TO 181 28 TO 30, 69 TO 73	08		S		1 (30)	82.5%	POWER SUPPLY
VSIT 3	53 TO 68	16		S			100%	
REAR GATE	145 TO 147	03		S			100%	
S	148 TO 155, 194	09		S			100%	
Y	156 TO 164, 177, 195	11		S			100%	
MAIN GATE	1, 192 & 193	03		S			100%	
TOTAL CAMS		195	01			01	01	98.5%

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK

PO RAISED. NO CHANGE IN STATUS

ARNAV ENT: AMC UPTO 31TH MAR 2021. ARNAV AMC NOT EXTENDED.

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PTT	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T	EFF %
SECURITY	1 TO 13 27 TO 38	4,5,6,11, 31,34	4,5,6,11, 31,34	01, 11	01	04,05,11 ,31		06		
IN DIRECTOR	14									
FM	15 TO 19	18	18						18	
HK	20 TO 23									
CANTEEN IC	24									
SYNERGY SYSTEM	25 26									
TOTAL	38	07	08	02	01	04	00	01	01	89%

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

REGULAR

STARTED WORKING FROM 08TH JUNE 2020

KAIZEN	H'KEEPING	(03)	SCOT	SECURITY	(23)
BVG	H'KEEPING	(00)	SUKH SAGAR	CANTEEN	(00)
RARE	H'KEEPING	(00)	CCD	CAFE	(00)
CANARA	H'KEEPING	(03)	DOMINOS	PIZZA	(00)
BHAVE	STATIONERY	(00)	CANARA GARDEN	GARDENER	(02)
STP	PLANT	(01)	SYNERGY	ELECT	(00)

TEMPORARY

COOLART	AC (VIT)	(00)	SRIKANT	CIVIL	(00)
HTL	AC (M)	(00)			
AIRCARE	AC (VP)	(00)			
COOLWELL	AC (X)	(00)			

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT

CANTEEN (00)

NO ONE IS STAYING OVERNIGHT



Security Officer

Vidyalankar Education Trust's

VIDYALANKAR EDUCATIONAL CAMPUS

Wadga (E), Mumbai-400 037. Tel: 9122 2416 1125

MONTHLY REPORT: JUNE 2021
VIDYALANKAR EDUCATIONAL CAMPUS

1. CAMPUS INCIDENTS/ ACCIDENTS: **NIL**
2. FIRE INCIDENTS: **NIL**
3. MEDICAL EMERGENCY: **NIL**
4. THEFT CASES: **NIL**
5. ROAD SAFETY VIOLATIONS: **NIL**
6. RETURNABLE GATE PASSES OUTSTANDING: **NIL**
7. PEST CONTROL DATES:

	FOGGING				SPRAY				RODENT			GEL			CONTRACT			
PCI	-	-	-	-	5	12	19	26	5	-	12	-	-	-	15	-	-	NOV 2021
BMC	-	-	-	-	5	12	19	26			N/A				N/A			N/A

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED ON	NEXT CLEANING DUE ON
UNDERGROUND	FIRE	01 OCT 2020	27 FEB 2021	01 JUN 2021
UNDERGROUND	DRINKING	01 OCT 2020	27 FEB 2021	01 JUN 2021
UNDERGROUND	WELL	01 DEC 2020	29 NOV 2020	01 JUN 2021
OVERHEAD	FIRE	01 OCT 2020	28 FEB 2021	01 JUN 2021
OVERHEAD	DRINKING	01 OCT 2020	28 FEB 2021	01 JUN 2021
OVERHEAD	WELL	01 DEC 2020	30 NOV 2020	01 JUN 2021

WATER TANKERS ORDERED IN THE MONTH: NIL

REASON: N/A

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019.

NEXT CLEANING DUE ON: 1ST JUNE 2019.

SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP

CLEAR

11. ACCESS TO FIRE TENDER BEHIND VSIT, Y & S

CLEAR

12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN

YES

13. EMERGENCY WINDOWS & DOOR OPERATIONAL

YES

14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICEABILITY

M BLOCK

MAIN PUMP : S

SPRINKLER PUMP : S

JOCKEY PUMP: S

DIESEL PUMP: S

BOOSTER PUMP : S

HYDRANTS & HOSE CABINS NO. 6 TO 10: S

HYDRANT ELECT PANEL : S

AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.

HYDRANT SYSTEM MAINTENANCE DONE ON: 06 MAR 2021

VIT, VP & VSIT

MAIN PUMP : S

JOCKEY PUMP : S

HYDRANT ELECT PANEL: S

HYDRANTS & HOSE CABINS NO. 1 TO 05: S

HYDRANT SYSTEM MAINT DONE ON 27

AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 22.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTORS SERVICEABILITY

VIT BASEMENT

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S

ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2021

M BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S

ALARM AMC: DELUXE 1st Feb 21 To 31ST Jan 22

VSIT & S BLOCK

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR GD +1: ALL S

ALARM AMC: OUST FIRE UPTO 31 MAR 2021

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7:US

ALARM AMC: VIJAYLAXMI UPTO 31 MAR 2022

LOOK CARD FAULTY. SENT FOR REPAIR (UNDER WARRANTY)

16. FIRE EXTINGUISHERS

FIRE EXTINGUISHERS SERVICEABLE

ALL EXCEPT FOLLOWING

FIRE EXTINGUISHERS EXPIRED

NIL

FIRE EXTINGUISHERS PRESSURE DROPPED

NIL

FIRE EXTINGUISHERS USED & EMPTY

NIL

17. ELECTRICAL MAINT FORTNIGHTLY FOR METER CABINS

DONE ON 16TH MAR 2021 BY ABHIJIT JAGTAP. REPORT FILED IN FM.

18. TRAINING TO GUARDS/ SUPERVISORS

NO TRAINING CONDUCTED DUE TO CORONA WAVE.

DATE/TIME	INSTRUCTOR	TOPIC	ATTENDED BY

19. AUTO GATE SERVICEABILITY

GATE 1 : S

GATE 2 : S

GATE 3 : US

A 1 FENCE ENGINEERS ATTENDED AND REPAIRED GATE 1 & 3.

GATE 3 BECAME U/S. ENGG. YET TO VISIT.

20. TORCHES SERVICEABILITY

TORCH 1 : S

TORCH 2 : S

EMERGENCY LIGHT : S

21. EVENTS TOOK PLACE: NIL

22. EVENTS IN NEXT MONTH: NIL

23. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLTY	POWER UNIT	INTER NET	EFF %	REMARKS
VP	2 TO 7, 74 TO 77, 165 TO 174	20						100%	
VIT A	8 TO 10, 13 to 17 & 20 143,175 & 176	12	1 (17)					92%	
VIT D	11, 12, 18,19, 33 TO 42 & 190	15		S				100%	
VIT E	21,22 & 43 TO 52,142 & 191	14		S				100%	
VIT G	182 TO 189	08		S				100%	
BASEMENT 1	78 TO 85	08		S				100%	
BASEMENT 2	86 TO 93	08		S				100%	
M1	94 TO 98	05		S				100%	
M2	99 TO 102	04		S				100%	
M3	103 TO 110	08						100%	
M4	111 TO 118	08		S				100%	
M5	119 TO 128	10						100%	
M6	129 TO 132	04						100%	
M7	133 TO 141	09						100%	
VSIT 1	23 TO 27,31 TO 32,	12		S				100%	

VSIT 2	144 & 178 TO 181 28 TO 30, 69 TO 73	08		S		1 (30)	82.5%
VSIT 3	53 TO 68	16		S			100%
REAR GATE	145 TO 147	03		S			100%
S	148 TO 155, 194	09		S			100%
Y	156 TO 164, 177, 195	11		S			100%
MAIN GATE	1, 192 & 193	03		S			100%
TOTAL CAMS		195	01		01	01	98.5%

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK
PO RAISED. NO CHANGE IN STATUS

ARNAV ENT: AMC UPTO 31TH MAR 2021. ARNAV AMC NOT EXTENDED.

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PTT	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T	EFF %
SECURITY	1 TO 13 27 TO 38	4,5,6,11, 31,34	4,5,6,11, 31,34	01, 11	01	04,05,11 ,31		06		
DIRECTOR FM HK	14 15 TO 19 20 TO 23		18						18	
CANTEEN IC SYNERGY SYSTEM	24 25 26									
TOTAL	38	07	08	02	01	04	00	01	01	89%

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

REGULAR

STARTED WORKING FROM 08TH JUNE 2020

KAIZEN	H'KEEPING	(03)	SCOT	SECURITY	(23)
BVG	H'KEEPING	(00)	SUKH SAGAR	CANTEEN	(00)
RARE	H'KEEPING	(00)	CCD	CAFE	(00)
CANARA	H'KEEPING	(03)	DOMINOS	PIZZA-	(00)
SHAVE	STATIONERY	(00)	CANARA GARDEN	GARDENER	(02)
STP	PLANT	(01)	SYNERGY	ELECT	(00)

TEMPORARY

COOLART	AC (VIT)	(00)	SRIKANT	CIVIL	(00)
HTL	AC (M)	(00)			
AIRCARE	AC (VP)	(00)			
COOLWELL	AC (X)	(00)			

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT

CANTEEN	(00)				
NO ONE IS STAYING OVERNIGHT					

(Signature)
 Director
 Director of Security and Safety
 Director of ARRAJ EDUCATIONAL CAMPUS
 (Address and Contact Information)

MONTHLY REPORT: MAY 2021
VIDYALANKAR EDUCATIONAL CAMPUS

1. CAMPUS INCIDENTS/ ACCIDENTS: **NIL**
2. FIRE INCIDENTS: **NIL**
3. MEDICAL EMERGENCY: **NIL**
4. THEFT CASES : **NIL**
5. ROAD SAFETY VIOLATIONS: **NIL**
6. RETURNABLE GATE PASSES OUTSTANDING: **NIL**
7. PEST CONTROL DATES:

FOGGING		SPRAY					RODENT			GEL			CONTRACT		
PCI	N/A	1	8	15	22	29	1	-	15	-	-	15	-	-	NOV 2021
BMC	-	1	8	15	22	29		N/A			N/A				N/A

8. WATER TANKS CLEANING

TYPE OF WATER TANK	WATER TYPE	SCHEDULE	CLEANED ON	NEXT CLEANING DUE ON
UNDERGROUND	FIRE	01 OCT 2020	27 FEB 2021	01 JUN 2021
UNDERGROUND	DRINKING	01 OCT 2020	27 FEB 2021	01 JUN 2021
UNDERGROUND	WELL	01 DEC 2020	29 NOV 2020	01 JUN 2021
OVERHEAD	FIRE	01 OCT 2020	28 FEB 2021	01 JUN 2021
OVERHEAD	DRINKING	01 OCT 2020	28 FEB 2021	01 JUN 2021
OVERHEAD	WELL	01 DEC 2020	30 NOV 2020	01 JUN 2021

WATER TANKERS ORDERED IN THE MONTH: NIL

REASON: N/A

9. SEPTIC TANKS CLEANING

SEPTIC TANKS NO 1 TO 4 CLEANED ON 12TH MAR 2019.

NEXT CLEANING DUE ON: 1ST JUNE 2019.

SEPTIC TANKS NOT CLEANED DUE TO LOCK DOWN.

10. ACCESS TO FIRE TENDER BEHIND M, VIT & VP CLEAR
11. ACCESS TO FIRE TENDER BEHIND VSIT, Y & S CLEAR
12. ALL FAÇADE WINDOWS M BLOCK ARE OPEN YES
13. EMERGENCY WINDOWS & DOOR OPERATIONAL YES
14. FIRE FIGHTING EQUIPMENT: HYDRANT SYSTEM SERVICEABILITY

M BLOCK

MAIN PUMP : S	SPRINKLER PUMP : S
JOCKEY PUMP: S	DIESEL PUMP: S
BOOSTER PUMP : S	HYDRANTS & HOSE CABINS NO. 6 TO 10: S
HYDRANT ELECT PANEL : S	AMC: RELIANCE FIRE PROTECTION UPTO 31st JAN 22.
HYDRANT SYSTEM MAINTENANCE DONE ON: 06 MAR 2021	

VIT, VP & VSIT

MAIN PUMP : S	JOCKEY PUMP : S
HYDRANT ELECT PANEL: S	HYDRANTS & HOSE CABINS NO. 1 TO 05: S
HYDRANT SYSTEM MAINT DONE ON 27	AMC: ASHIRWAD ENTERPRISES UPTO 31st JAN 22.

15. FIRE ALARM PANEL/ HOOTERS/ SMOKE DETECTORS SERVICEABILITY

VIT BASEMENT

FIRE ALARM PANEL : S	SMOKE DETECTORS: ALL S
FIRE HOOTERS VIT BASEMENT 1 TO 4: ALL S	ALARM AMC: VIJAYLAXMI UPTO 31 DEC 2021

M BLOCK

FIRE ALARM PANEL : S	SMOKE DETECTORS: ALL S
FIRE HOOTERS ON EACH FLR 1 TO 7: ALL S	ALARM AMC: DELUXE 1st Feb 21 To 31 ST Jan 22

VSIT & S BLOCK

FIRE ALARM PANEL : S	SMOKE DETECTORS: ALL S
----------------------	------------------------

FIRE HOOTERS ON EACH FLR GD +1: ALL S

ALARM AMC: OUST FIRE UPTO 31 MAR 2021

FIRE ALARM PANEL : S

SMOKE DETECTORS: ALL S

FIRE HOOTERS ON EACH FLR 1 TO 7:US

ALARM AMC: VIJAYLAXMI UPTO 31 MAR 2022

LOOK CARD FAULTY. SENT FOR REPAIR (UNDER WARRANTY)

16. FIRE EXTINGUISHERS

- FIRE EXTINGUISHERS SERVICEABLE
- FIRE EXTINGUISHERS EXPIRED
- FIRE EXTINGUISHERS PRESSURE DROPPED
- FIRE EXTINGUISHERS USED & EMPTY

ALL EXCEPT FOLLOWING
NIL
NIL
NIL

17. ELECTRICAL MAINT FORTNIGHTLY FOR METER CABINETS

DONE ON 16TH MAR 2021 BY ABHIJIT JAGTAP. REPORT FILED IN FM.

18. TRAINING TO GUARDS/ SUPERVISORS

NO TRAINING CONDUCTED DUE TO CORONA WAVE.

DATE/TIME	INSTRUCTOR	TOPIC	ATTENDED BY

19. AUTO GATE SERVICEABILITY

GATE 1 : S

GATE 2 : S

GATE 3 : US

A 1 FENCE ENGINEERS ATTENDED AND REPAIRED GATE 1 & 3.

GATE 3 BECAME U/S. ENGG. YET TO VISIT.

20. TORCHES SERVICEABILITY

TORCH 1 : S

TORCH 2 : S

EMERGENCY LIGHT : S

21. EVENTS TOOK PLACE: NIL

22. EVENTS IN NEXT MONTH: NIL

23. CCTV SERVICEABILITY

LOCATION	CAMS NO	TOTAL CAMS	CAMS FAULTY	DVR	CABL FLT	POWER UNIT	INTER NET	EFF %	REMARKS
VP	2 TO 7, 74 TO 77, 165 TO 174	20		S				100%	
VIT A	8 TO 10, 13 to 17 & 20 143,175 & 176	12	1 (17)	S	(15)			92%	CAM/CR: P.V.S.D
VIT D	11, 12, 18,19, 33 TO 42 & 190	15		S				100%	
VIT E	21,22 & 43 TO 52,142 & 191	14		S				100%	
VIT G	182 TO 189	08		S				100%	
BASEMENT 1	78 TO 85	08		S				100%	
BASEMENT 2	86 TO 93	08		S				100%	
M1	94 TO 98	05		S				100%	
M2	99 TO 102	04		S				100%	
M3	103 TO 110	08		S				100%	
M4	111 TO 118	08		S				100%	
M5	119 TO 128	10		S				100%	
M6	129 TO 132	04		S				100%	
M7	133 TO 141	09		S				100%	
VSIT 1	23 TO 27,31 TO 32,	12		S				100%	

VSIT 2	144 & 178 TO 181 28 TO 30, 69 TO 73	08		S		1 (30)	82.5%
VSIT 3	53 TO 68	16		S			100%
REAR GATE	145 TO 147	03		S			100%
S	148 TO 155, 194	09		S			100%
Y	156 TO 164, 177, 195	11		S			100%
MAIN GATE	1, 192 & 193	03		S			100%
TOTAL CAMS		195	01		01	01	98.5%

S : SERVICEABLE, U/S : UNSERVICEABLE, P/S: PARTLY SERVICEABLE, HD: HARD DISK
PO RAISED. NO CHANGE IN STATUS

ARNAV ENT: AMC UPTO 31TH MAR 2021. ARNAV AMC NOT EXTENDED.

24. WALKIE TALKIE SERVICEABILITY:

DEPT	WT NO	BATTERY FAULTY	ANTENNA FAULTY	PI N	PTI	RADIO U/S	RANGE PROB	RECEPTIO N PROB	TRANSMI T	EFF %
SECURITY	1 TO 13 27 TO 38	4,5,6,11, 31,34	4,5,6,11, 31,34	01, 11	01	04,05,11 ,31		06		
DIRECTOR	14									
FM	15 TO 19	18	18						18	
HK	20 TO 23									
CANTEEN IC	24									
SYNERGY	25									
SYSTEM	26									
TOTAL	38	07	08	02	01	04	00	01	01	89%

No repair initiated.

25. VEHICLE PARKING AS PER ERP : B1:74, C2 : 512

26. CONTRACTORS: NO. OF WORKERS

REGULAR

STARTED WORKING FROM 08TH JUNE 2020

KAIZEN	H'KEEPING	(00)	SCOT	SECURITY	(23)
BVG	H'KEEPING	(00)	SUKH SAGAR	CANTFEN	(00)
RARE	H'KEEPING	(00)	CCD	CAFE	(00)
ANARA	H'KEEPING	(03)	DOMINOS	PIZZA	(00)
BHAVE	STATIONERY	(00)	CANARA GARDEN	GARDENER	(02)
STP	PLANT	(01)	SYNERGY	ELECT	(00)

TEMPORARY

COOLART	AC (VIT)	(00)	SRIKANT	CIVIL	(00)
HTL	AC (M)	(00)			
AIRCARE	AC (VP)	(00)			
COOLWELL	AC (X)	(00)			

27. CONTRACT WORKERS STAYING INSIDE CAMPUS OVERNIGHT

CANTEEN	(00)			
---------	------	--	--	--

NO ONE IS STAYING OVERNIGHT

DATE: 08/06/2020
TIME: 11:00 AM
PLACE: CAMPUS